FEATURES



Easily vacuum a wide range of debris, including construction waste, steel grit, sand, concrete dust, ash and metal shavings.



One of the strengths of the Eurovac Blue Line 1000 vacuum cleaner is its 1000 litre waste tank, which has been specially designed with userfriendliness in mind. This spacious container is equipped with a hydraulic hatch opening, which makes emptying the bin quick and easy.



It's easy to empty the machine's rubbish directly into the rubbish trough using the forklift tip boxes.



Adjustable lifting feet are available, which allow the device to be placed next to the changing platform. This makes it much easier to empty rubbish directly onto the pallet or, alternatively, into a 600 litre bin.



The device is designed to be user-friendly, and easy to connect to the central vacuum pipe without complex installations.



EUROVAC BLUE LINE 1000

Versatility and power for industry and construction!





A suction hose with a diameter of up to 76 or 102 mm can be used, allowing for fast vacuuming of large amounts of debris.



Power options: 11 kW and 25 kW, offering the customer the possibility to choose the power that suits their needs.



This device is built to withstand the harshest conditions. Its strong steel construction and quality materials ensure long life and impeccable performance.



The suction unit has a powerful tetratex 4 m² star filter, which ensures clean air quality with automatic filter cleaning.



The vacuum cleaner is equipped with a safety filter to protect the suction unit in case of damage to the main filter. The back-up filter is also available as a HEPA13 level filter to meet higher filtration requirements.





TECHNICAL SPECIFICATIONS

| Model | Eurovac Blue Line 1000 11 kW | Eurovac Blue Line 1000 25 kW |
|-----------------------------|---|---|
| Power | 11 kW | 25 kW |
| Max airflow | 1050 m3/h | 1100m ³ /h |
| Voltage | 32 A / 400 V | 63 A / 400 V |
| Max underpressure | 270 mbar | 400 mbar |
| Sound level | 84 db | 90 db |
| Tank capacity | 1000 I | 1000 I |
| Filter | Tetratex star filter | Tetratex star filter |
| Suction inlet | 76 mm or 102 mm | 76 mm or 102 mm |
| The filter surface area | 4 m ² | 4 m ² |
| Compressed air- cleaning | includes compressor | includes compressor |
| Startup- automation | remote start capability for central vacuuming | remote start capability for central vacuuming |
| Weight | 700 kg | 800 kg |
| Width | 1655 mm | 1655 mm |
| Length | 1250 mm | 1250 mm |
| Height | 2200 mm | 2200 mm |
| | | |









The dimensions and empty weight of the equipment may vary depending on the model and equipment.

NOTE! No aggregate use.

Accessories

Adjustable lifting feet

length of legs 1540 mm

We ather proof

the housing of the suction unit

Overfill prevention

switch off the equipment when the tank is full

HEPA 13-filter

high efficiency filter

Antistatic polyester

star filter 4 m²