

EUROVAC



For a cleaner working environment

Content

>>> WET / DRY VACUUMS	4
EUROVAC 101 FACILITY VACUUM CLEANER	4
EUROVAC GREEN 1300	4
EUROVAC 423/433 WITH PUSH PLATFORM	5
EUROVAC 303 SPECIAL	5
EUROVAC 423/433 WITH TIPPING PLASTIC TANK	5
>>> ASH VACUUMS	6
EUROVAC 31T CHIMNEY VACUUM	6
EUROVAC 303S CHIMNEY VACUUM	6
EUROVAC 303S + 40 HOT ASH PACKAGE	6
EUROVAC 303S + 82 HOT ASH PACKAGE	7
EUROVAC 423 + 82 HOT ASH PACKAGE	7
EUROVAC 433 + 82 HOT ASH PACKAGE	7
EUROVAC 433 + 200 HOT ASH PACKAGE	7
EUROVAC 53 -HOT ASH PACKAGE	8
EUROVAC 53 HOT ASH PACKAGE WITH HIGH CYCLONE	8
EUROVAC 53 -HOT ASH PACKAGE ON A CRANK TIPPING PLATFORM	8
>>> SPECIAL VACUUMS.....	9
EUROVAC 62H ASBESTOS VACUUM	9
EUROVAC 33H ASBESTOS VACUUM	9
EUROVAC DELFIN DM3	9
EUROVAC H 1500 VACUUM CLEANER.....	10
EUROVAC 429 SLURRY.....	10
EUROVAC 423 PUMP VACUUM	10
EUROVAC 433 LONGOPAC INDUSTRIAL VACUUM.....	11
EUROVAC GREEN TEXTILE CLEANER GP 1/27	11
EUROVAC CALIFORNIA TEXTILE WASHER	11
>>> ATEX-VACUUMS.....	12
EUROVAC MTL 1/3D ATEX	12
EUROVAC PLANET 300 S ATEX.....	12
EUROVAC PLANET 755S ATEX 7,5 KW	12
>>> ACD VACUUMS.....	13
TX 300 ACD.....	13
>>> HEAVY SERIES.....	14
HURRICANE 32.....	14
HURRICANE 42 TROLLEY	14
HURRICANE 43.....	14
EUROVAC 53	15
EUROVAC 53 TROLLEY.....	15
EUROVAC 53 TROLLEY BAG VACUUM.....	15
EUROVAC 53 4800	16
EUROVAC 53 SMALL VACUUM	16
EUROVAC 53 BARREL VACUUM	16
EUROVAC 53 4800 WITH CRANK TIPPING PLATFORM.....	17
EUROVAC 53 4800 WITH SIDE TIPPING PLATFORM.....	17
EUROVAC 53 BARREL VACUUM WITH CRANK TIPPING PLATFORM	18
EUROVAC 53 BARREL VACUUM WITH SIDE TIPPING PLATFORM.....	18
EUROVAC 53 BARREL VACUUM WITH FORKLIFT POCKETS 5.5KW.....	18
EUROVAC 53 BARREL VACUUM WITH A CRANK TIPPER COMPRESSED AIR.....	19
EUROVAC 53 BARREL VACUUM WITH SIDE TIPPING TROLLEY COMPRESSED AIR	19
EUROVAC 53 BARREL VACUUM COMPRESSED AIR.....	19
EUROVAC 53 TROLLEY COMPRESSED AIR.....	20
EUROVAC 53 SMALL COMPRESSED AIR	20
EUROVAC 53 BATTERY VACUUM.....	20
BLUE LINE 200.....	21
BLUE LINE SERIES.....	21
BLUE LINE 1000 CONTAINER VACUUM	21
BLUE LINE 1000 TR TRACTOR VACUUM	22
EUROVAC CUBE.....	22
EUROVAC 53 CHIP VACUUM 4800.....	23
EUROVAC 53 CHIP VACUUM 4800 COMPRESSED AIR.....	23
OPTIONS FOR EUROVAC 53 SERIES VACUUMS.....	24
>>> OIL AND CUTTING FLUID VACUUMS.....	25
TECNOIL 100IF.....	25
TECNOIL 100MPI.....	25
TECNOIL 220IF.....	25
TECNOIL 220MPI.....	25
>>> RITA CLEANING – DRY / WET VACUUM CLEANERS.....	26
RITA BF575.....	26
>>> CYCLONES AND PRE-SEPARATORS	27
CYCLONE SEPARATOR WITH PUSH PLATFORM	27
CYCLONE SEPARATOR WITH WALL BRACKET	27
EUROVAC CHIP CYCLONE.....	27
CYCLONE LID FOR 200L DRUM	28
CYCLONE PRE-SEPARATOR 82 L.....	28
CYCLONE PRE-SEPARATOR 53 WITH LONGOPAC PUSH PLATFORM	29
PRE-SEPARATOR WITH 63 L FILTER	29
TIPPER CONTAINER PRE-SEPARATOR.....	29

>>> FOR RENT	30
BLUE LINE 1000 CONTAINER VACUUM.....	30
EUROVAC CONTAINER VACUUM, DIESEL 147 KW.....	30
EUROVAC TRAILER VACUUM CLEANER >50 KW.....	30
EUROVAC CUBE.....	30
>>> ACCESSORIES AND SPARE PARTS.....	31
CLEANING KITS AND NOZZLES.....	31
ATEX 22 CLEANING KITS AND PARTS	35
SUCTION HOSES	36
DUST BAGS	37
FILTERS	37
SUCTION MOTORS AND COALS	39
VACUUM CLEANER ACCESSORIES	40
HOSE REELS AND RACKS.....	40
EUROVAC HURRICANE SPARE PARTS.....	41
OTHER SPARE PARTS AND ACCESSORIES.....	41
>>> METAL CENTRAL VACUUM PIPES	43
STEEL PIPES.....	43
STEEL BENDS.....	43
BRANCH PIPES.....	43
PIPE COUPLINGS.....	43
CONTRACTION PIECES	44
FLAP VALVES.....	44
HOSE CONNECTORS FOR THE FLAP VALVES	44
BRACKETS.....	44
>>> BLOWERS	46
PORTABLE/DRYING BLOWERS	46
RITA BF534.....	46
EUROVAC DRY 1,5 - 5,5 KW	46
EUROVAC HOUSING DRYER.....	46
EUROVAC DF/S SERIES.....	47
>>> SERVICE CABINETS	47
EUROVAC SERVICE CABINET	47
>>> SUCTION UNITS FOR WELDING GASES	48
CLEAN GO 2015	48
JETCLEAN DF2 W3	48
>>> SUCTION UNITS FOR GRINDING DUST	49
GRINDEX DF	49
>>> CHIP REMOVAL EQUIPMENT.....	49
EUROVAC 200 CHIP REMOVAL VACUUM	49
EUROVAC CHIP BLOWER BLOWER WITH TROLLEY	49
>>> PAINTING CABINETS.....	50
MINIDRY.....	50
TECNODRY.....	50
>>> SUCTION TABLES	51
EUROVAC MINI SUCTION TABLE	51
POLIJET DF SUCTION TABLE	51
POLIWELD SUCTION TABLE.....	51
POLIWOOD SUCTION TABLE	52
POLIWOOD DF SUCTION TABLE	52
BS SUCTION TABLE.....	52
BS/S SUCTION TABLE.....	53
POLIEX ATEX SUCTION TABLE	53
>>> SUCTION ARMS AND BLOWERS.....	54
EVOLUTION NO-SMOKE	54
DYNAFLEX.....	54
NO-SMOKE FLUE GAS BLOWER	54
>>> HOME AND CENTRAL VACUUMS	55
EUROVAC CENTER TS.....	55
EUROVAC SILVER LINE.....	55
EUROVAC E45 FACILITY VACUUM	55
EUROVAC E100 CENTRAL UNIT 9 KW	55
EUROVAC S90 CENTRAL VACUUM FILTER UNIT	56
ACCESSORIES AND PLASTIC CENTRAL VACUUM CLEANER PIPE FITTINGS FOR HOUSEHOLD AND INDUSTRIAL CENTRAL VACUUMS.....	57
CONTACT	60

>>> **DRY / WET DRYERS****Eurovac 101 facility vacuum cleaner**

A small and easy-to-carry vacuum cleaner for efficient cleaning.
Applications include hotels, restaurants, offices, kitchens, etc.
The vacuum cleaner is suitable for dry and wet dust and liquids.

Cleaning tool kit Ø35 mm, hose 4,5 m.
Power supply 10 A / 240 V.
Dimensions H 500 W 385 mm, power cord 8,5 m

Power	Tank	mbar	l/min	dB	Kg
1200 W	15 l	220	2800	78	8

Code	Title
002010	Eurovac 101 vacuum cleaner

**Eurovac Green 1300**

A small and easy-to-carry vacuum cleaner for efficient cleaning.
Applications include hotels, restaurants, offices, kitchens, etc.
The vacuum cleaner is suitable for dry and wet dust and liquids.

Cleaning tool kit Ø35 mm, hose 2 m.
Power supply 10 A / 240 V.
Dimensions H 500 L 380 W 380, power cord 8,5 m

Power	Tank	mbar	l/min	dB	Kg
1300 W	18 l	230	3300	70	11

Code	Title
002035	Eurovac Green 1300



Eurovac 303 Special

Compact vacuum cleaner for dry and wet dust and liquids.
Optional HEPA 13 and ash filter.

Cleaning tool kit Ø38 mm, hose 4,5 m.
Power supply 10 A / 240 V.
Dimensions: H 660, W 350 mm, power cord 7,5 m

Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
1200/1400 W	33 l	240	3500	78	10

Code	Title
002030	Eurovac 303 S, dry/wet vacuum cleaner



Eurovac 423/433 with push platform

Medium sized vacuum cleaner for dry and wet dust, as well as liquids.
With optional HEPA 13 and ash filter.
Can also be equipped with a front nozzle, allowing large floor areas to be vacuumed.
The 423 model comes standard with tool start (max. power of the connected tool 1000 W).

Cleaning tool kit Ø38 mm, hose 4,5 m.
Power supply 16 A / 240 V.
Dimensions: H 850 W 550 L 550 mm, power cord 7,5 m

Model	Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
423	2200/2600 W	63 l	240	7100	84	17
433	3400/3600 W	63 l	240	10700	84	19

Code	Title
002120	Eurovac 423 with push platform
002160	Eurovac 433 with push platform
012212	Front mouthpiece in front of vacuum with brushes W 610 mm
012213	Front mouthpiece in front of vacuum with rubber W 610 mm



Eurovac 423/433 with tipping plastic tank

Medium sized vacuum cleaner for dry and wet dust, as well as liquids.
Optional HEPA 13 and ash filter.
Equipped with a larger 105 l plastic tipping tank.
The 423 model is equipped with a tool starter (max. power of the connected tool 1000 W).

Cleaning tool kit Ø38 mm, hose 4,5 m.
Power supply 16 A / 240 V.
Dimensions: H 870 W 570 L 590 mm, power cord 7,5 m

Model	Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
423	2200/2600 W	105 l	240	7100	84	17
433	3400/3600 W	105 l	240	10700	84	19

Code	Title
002140	Eurovac 423, with tipping plastic tank
002180	Eurovac 433, with tipping plastic tank



Eurovac 31T chimney vacuum

A compact vacuum cleaner for ash vacuuming.
The vacuum cleaner has a filter bag for the blown air.

Ash fitting Ø38 mm, (no floor outlet), hose 4,5 m.

Power supply 10 A / 240 V.

Dimensions: H 680, W 385 mm, power cord 7,5 m

Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
1200/1400 W	27 l	240	3500	78	10

Code	Title
002029	Eurovac 31T chimney vacuum



Eurovac 303S chimney vacuum

Compact vacuum cleaner for dry and wet dust and liquids.
Optional HEPA 13 filter.

Ash fitting Ø38 mm, (no floor outlet), hose 4,5 m.

Power supply 10 A / 240 V.

Dimensions: H 660, W 350 mm, power cord 7,5 m

Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
1200/1400 W	33 l	240	3500	78	10

Code	Title
002320	Eurovac 303S chimney vacuum



Eurovac 303S + 40 hot ash package

The package includes: a Eurovac vacuum cleaner with exhaust filter + cyclone separator 40 l + rubber suction hose Ø38 mm length 3 m + slit nozzle 38 mm aluminium. The combination allows hot ash vacuuming.

Cleaning tool kit Ø38 mm, 4.5 m hose.

Dimensions of the 82 litre cyclone separator: H 990 W 480 mm

Model	Power (continuous/ max)	Tank	mbar		dB
303S + 40	1200/1400 W	33 + 40 l	240		78

Code	Title
002046	Eurovac 303S + 40 - hot ash package

Eurovac 303S + 82 hot ash package

The package includes: a Eurovac vacuum cleaner with exhaust filter + cyclone separator 82 l + rubber suction hose Ø38 mm length 3 m + slit nozzle 38 mm aluminium. The combination allows hot ash vacuuming.

Cleaning tool kit Ø38 mm, 4.5 m hose.

Dimensions of the 82 litre cyclone separator: H 990 W 480 mm

Model	Power (continuous/ max)	Tank	mbar	l/min	dB
303S + 82	1200/1400 W	33 + 82 l	240	3333	78

Code	Title
------	-------

002040	Eurovac 303S + 82 hot ash package
--------	-----------------------------------

Eurovac 423 + 82 hot ash package

The package includes: a Eurovac vacuum cleaner with exhaust filter + cyclone separator 82 l + rubber suction hose Ø38 mm length 3 m + slit nozzle 38 mm aluminium. The combination allows hot ash vacuuming.

Cleaning tool kit Ø38 mm, 4.5 m hose.

Dimensions of the 82 litre cyclone separator: H 990 W 480 mm

Model	Power (continuous/ max)	Tank	mbar	l/min	dB
423 + 82	2200/2600 W	63 + 82 l	240	7100	84

Code	Title
------	-------

002041	Eurovac 423 + 82 hot ash package
--------	----------------------------------

Eurovac 433 + 82 hot ash package

The package includes: a Eurovac vacuum cleaner with exhaust filter + cyclone separator 82 l + rubber suction hose Ø38 mm length 3 m + slit nozzle 38 mm aluminium. The combination allows hot ash vacuuming.

Cleaning tool kit Ø38 mm, 4.5 m hose.

Dimensions of the 82 litre cyclone separator: H 990 W 480 mm

Model	Power (continuous/ max)	Tank	mbar	l/min	dB
433 + 82	3400/3600 W	63 + 82 l	240	10700	84

Code	Title
------	-------

002042	Eurovac 433 + 82 hot ash package
--------	----------------------------------

Eurovac 433 + 200 hot ash package

The package includes: a Eurovac vacuum cleaner with exhaust filter + cyclone separator 200 l + rubber suction hose Ø38 mm length 3 m + slit nozzle 38 mm aluminium. The combination allows hot ash vacuuming.

Cleaning tool kit Ø38 mm, 4.5 m hose.

Dimensions of the 82 litre cyclone separator: H 990 W 480 mm

Model	Power (continuous/ max)	Tank	mbar	l/min	dB
433 + 200	3400/3600 W	63 + 200 l	240	10700	84

Code	Title
------	-------

002043	Eurovac 433 + 200 hot ash package
--------	-----------------------------------



Eurovac 53 hot ash package

Eurovac 53 barrel vacuum + cyclone with 200 l tank and low deck.
For hot ash vacuuming.

Includes Ø 50 mm / 5 m antistatic cleaning kit and a rubber suction hose Ø 50 mm, length 3 m, and an aluminium slotted mouthpiece, length 580 mm.

Power	Tank	mbar	l/min	dB
3600 W	200+200 l	250	10500	84

Code	Title
002044	Eurovac 53 - hot ash package



Eurovac 53 hot ash package with high cyclone

Eurovac 53 barrel vacuum cleaner + cyclone with 200 l tank and high cyclone with wall mount. For hot ash vacuuming.

Includes Ø 50 mm / 5 m antistatic cleaning kit and a rubber suction hose Ø 50 mm, length 3 m, and an aluminium slotted mouthpiece, length 580 mm.

Power	Tank	mbar	l/min	dB
3600 W	200+200 l	250	10500	84

Code	Title
002045	Eurovac 53 - hot ash package with high cyclone



Eurovac 53 hot ash package on a crank tipping platform

Eurovac 53 barrel vacuum + cyclone with 200 l tank and low deck mounted on a forklift truck-mounted tipping platform. For hot ash vacuuming.
Alternatives include forklift or front loader attachment, including Euro attachment.

Includes Ø 50 mm / 5 m antistatic cleaning tool kit with rubber suction hose Ø 50 mm length 3 m and aluminium slotted nozzle length 580 mm.

Power	Tank	mbar	l/min	dB
3600 W	200+200 l	250	10500	84

Code	Title
003039	Eurovac 53 - hot ash package on a crank tipping platform

>>>SPECIAL VACUUMS

**Eurovac 33H asbestos vacuum cleaner**

Suitable for vacuuming dry dust.
 Approved and tested for Class H hazardous dusts. For small amounts of dust.
 Filtering: dust bag + H13 cartridge. (≥99,95%)

Cleaning tool kit Ø38 mm, hose 2,5 m.
 Power supply 10 A / 240 V.
 Dimensions: H 660 mm W 350 mm, power cord 8,5 m

Power	Tank	mbar	l/min	dB	Kg
1200 W	33 l	240	3500	78	16

Code	Title
002031	Eurovac 33H asbestos vacuum cleaner

**Eurovac 62H asbestos vacuum cleaner**

Suitable for vacuuming dry dust.
 Approved and tested for class H hazardous dusts.
 Filtration: dust bag + polyester + H13 cartridge (≥ 99.95%)

Cleaning tool set Ø38 mm, hose 2,5 m.
 Power supply 16 A / 240 V.
 Dimensions: H 910 W 560 L 640 mm, power cord 8,5 m

Power	Tank	mbar	l/min	dB	Kg
2400 W	63 l	240	7200	84	23

Code	Title
002032	Eurovac 62H asbestos vacuum cleaner

**Eurovac Delfin DM3**

A special vacuum cleaner for applications where high suction power and durability are required. For dry and wet dust.
 Star-shaped PTFE filter, 3 m² surface area.
 HEPA 13 filtration as standard.

Suction hose Ø 50 mm can be used.
 Power supply: 16 A/230 V/50 Hz
 Dimensions: K 1500 L 660 P 770 mm, power cord 8 m

Power	Tank	mbar	l/min	dB	Kg
3450 W	100 l	250	9000	76	85

Code	Title
002498	Eurovac Delfin DM3
010051.2	Cleaning tool set Ø 50 mm/5 m, antistatic
010052.1	Cleaning tool set Ø 50 mm/10 m, antistatic
010052.15	Cleaning tool set Ø 50 mm/15 m, antistatic
010052.20	Cleaning tool set Ø 50 mm/20 m, antistatic



Eurovac H 1500 vacuum cleaner

The Eurovac H 1500 vacuum cleaner is designed for continuous use with machine tools, can be operated up to 24h/day. For example, for sharpening dust from skates. Can also be equipped with HEPA13 after-filtration.

Power supply 16 A / 240 V.

Dimensions H 820 W 400 L 750 mm, power cord 8 m

Power	Tank	mbar	l/min	dB	Kg
1500 W	33 l	190	3500	63	27

Code	Title
009001	Eurovac H 1500 vacuum cleaner, no cleaning kit
011105	Hose connector alum Ø 58, for 38 mm hose
011072	Hose connector alum Ø 58, for 50 mm hose



Eurovac 429 Slurry

The Eurovac 429 Slurry is specifically designed for recycling fluids used in diamond sawing and drilling.

A pump in the machine is used to pump the liquid to the cutting blade, from where it is sucked back into the tank by a vacuum cleaner.

Cleaning tool kit Ø38 mm, hose 4,5 m.

Power supply 16 A / 240 V.

Dimensions: H 970 W 520 L 630 mm, power cord 8,5 m

Pump: power 0,37 kW, capacity 100 l/min

Power	Tank	mbar	l/min	dB	Kg
2400 W	62 l	245	6960	76	26

Code	Title
002455	Eurovac 429 Slurry



Eurovac 423 pump vacuum cleaner

For dry and wet dust and liquids. Impact resistant, tipping plastic container. Pump for efficient removal of liquids. 1½" fire hose connection for discharge hose.

Cleaning tool kit Ø38 mm, hose 4,5 m.

Power supply 16 A / 240 V.

Dimensions: H 870 W 570 L 590 mm, power cord 7,5 m

Pump: 1,3 kW, max. 300 l/min, permeability 30 mm

Power	Tank	mbar	l/min	dB	Kg
2600 W	105 l	240	7200	84	23

Code	Title
002450	Eurovac 423 pump vacuum cleaner



Eurovac 433 Longopac industrial vacuum

The Longopac vacuum cleaner is particularly suitable for vacuuming easily dusty material. The Longopac bag allows you to replace the bag without any dust at all. The vacuum cleaner is not suitable for vacuuming liquids.

Cleaning tool kit Ø50 mm, hose 5 m.

Power supply 16 A / 240 V.

Dimensions H 1460 L 600 W 630, power cord 7,5 m

Power	Tank	mbar	l/min	dB	Kg
3300 W	Longopac sack	240	10500	76	48

Code	Title
002165	Eurovac 433 Longopac industrial vacuum cleaner
213116	Longopac garbage bag for bag vacuum cleaner, box (4 pcs x Ø357 mm/22 m)



Eurovac Green textile washer GP 1/27

The Eurovac GP 1/27 textile cleaner is a compact solution for cleaning textile surfaces. It is designed for small and medium sized surfaces such as carpets, carpets and sofas. Users include hotels, cleaning companies, industry, publishing houses and car dealerships. The vacuum cleaner has a separate tank (inside the vacuum tank) for washing water, which is sprayed from the nozzles onto the textile surface and effectively sucks the dirty water into the vacuum tank.

Cleaning tool kit Ø35 mm, hose 2 m.

The set includes a floor nozzle and a hand washing nozzle.

Power supply 10 A / 240 V.

Dimensions H 500 L 380 W 380, power cord 8,5 m

Power	Tank	mbar	l/min	dB	Kg
1200 W	27 / 6 l	240	3500	72	11

Code	Title
002033	Eurovac Green textile cleaner GP 1/27



Eurovac California textile washer

The Eurovac California is a powerful textile cleaner with a steel tank. It has large wheels that make it easy to move around. Suitable for washing large surfaces such as carpets, carpets and doormats. Users include hotels, cleaning companies, industry, publishing houses and car dealerships.

Includes: a 38 mm 4.5 m washing hose and a hand wash handle.

Also available with optional floor cleaning rod (012343)

Power supply 16 A / 240 V.

Dimensions: H 850 W 530 L 700 mm

Power	Tank	mbar	l/min	dB	Kg
2600 W	63 l	250	5700	71	19

Code	Title
005000	Eurovac California textile washer

>>> **ATEX VACUUMS****Eurovac MTL 1/3D ATEX**

The Eurovac MTL 1/3D ATEX vacuum cleaner features a powerful brushless motor that allows you to work efficiently and vacuum very fine dust.

The vacuum is suitable for use in Zone 22 hazardous (explosive) areas. The MTL 1/3D ATEX industrial vacuum cleaner is equipped with a HEPA filter. Collected material is stored in a 40-liter container made of AISI 304 stainless steel. Power supply: 230 V.

The unit comes with a Ø 38 mm antistatic cleaning accessory set, including a 3 m suction hose, floor nozzle, crevice nozzle, and dust brush.

Power	Tank	mbar	l/min	dB	Kg
1150 W	40 l	245	3000	74	26

Code	Title
002502	Eurovac MTL 1/3D ATEX

**Planet 300 S ATEX**

The unit is designed for use in e.g. bakeries or industrial premises where ATEX 22 II 3D dust extraction equipment is required.

A powerful professional vacuum cleaner for dry debris for ATEX classified areas, with a robust construction.

The filter can also be cleaned with a mechanical shaker cleaner.

Power supply: 400 V.

The appliance is equipped with a Ø 50 mm anti-static cleaning tool set with 15 m suction hose, floor and crevice nozzle.

Power	Tank	mbar	l/min	dB	Kg
3000 W	100 l	250	5060	<84	85

Code	Title
002463	Planet 300 ATEX

**Planet 755S ATEX 7,5 kW**

The Planet 755S ATEX vacuum cleaner is suitable for dry dust vacuuming in Class 22 hazardous areas.

- triple filtration: star filter 1,95 m², cartridge filter 1,0 m², pre-filter
- manual filter cleaning
- big wheels with brakes
- filter clogging detector

The appliance is equipped with a Ø 50 mm anti-static cleaning tool set with 15 m suction hose, floor and crevice nozzle.

Power supply 380V/50Hz, fuse requirement
32A CE EX II 3D Ex t IIIB T135°C Dc IP55

Power	Tank	mbar	l/min	filter	dB	Kg
7500 W	100 l	230	8500	1,95 + 1,0 m²	76	164

Code	Title
002472	Planet 755S ATEX 7,5 kW

>>> **ACD VACUUMS****TX 300 ACD**

The TX 300 ACD is a vacuum cleaner designed for suctioning ATEX-rated explosive dusts outside of ATEX zones.

As standard, the vacuum is equipped with an antistatic Class M star filter (3.8 m²) with manual filter cleaning.

Optional features include: a spark trap, HEPA filter, PTFE star filter, and pneumatic vibratory cleaning for the star filter.

The vacuum is also available upon request with automatic filter cleaning, in which case the star filter is replaced by 9 m² cartridge filters.

The vacuum is delivered with an antistatic Ø 50 mm cleaning tool kit suitable for use in ATEX 22 dust zones.

The kit enables safe working with fine dust and materials that generate static electricity.

The cleaning tool kit includes a 3-meter conductive EVA suction hose, antistatic connectors, and nozzles and a brush intended for cleaning floors and work surfaces.

The delivery includes a straight wand, metal coupling, conical nozzle, double-bend wand for floor cleaning, and a floor brush.

Power	Tank	mbar	l/min	dB	Kg
3000 W	100 l	230	5833	74	130

Code	Title
002511	TX 300 ACD
P123771	Antistatic cleaning kit PRO 3 m Ø 50mm

**Hurricane 32**

Special vacuum cleaner for fine dust.
 Optional HEPA 13 filtration (see accessories).
 Well suited for e.g. construction and woodworking industries.
 Also available in a tool-operated model with a maximum power of 1000 W for the connected tool.
 Dimensions: H 745 W 360 L 540 mm, power cord length 8 m

Power	Tank	mbar	l/min	dB	Kg
2200 W	33 l	250	7500	82	18

Code	Title
007011	Hurricane 32, no cleaning kit
007014	Hurricane 32, with tool start, no cleaning kit
007025	Hurricane 32, HEPA 13, no cleaning kit
007026	Hurricane 32, HEPA 13, tool start, no cleaning kit
010033.1	Cleaning tool set 38 mm/5 m, antistatic (Hurricane 32, 42, 43)
010033.3	Cleaning tool set 38 mm/10 m, antistatic (Hurricane 32, 42, 43)

**Hurricane 42 Trolley**

Special vacuum cleaner for fine dust.
 Optional HEPA 13 filtration (see accessories).
 Well suited for e.g. construction and woodworking industries.
 Also available in a tool-operated model with a maximum power of 1000 W for the connected tool.
 Dimensions: H 1010 W 470 L 770 mm, power cord length 8 m

Power	Tank	mbar	l/min	dB	Kg
2200 W	82 l	250	7500	82	35

Code	Title
007013	Hurricane 42, no cleaning kit
007016	Hurricane 42, with tool start, no cleaning kit
007027	Hurricane 42, HEPA 13, no cleaning kit
007028	Hurricane 42, HEPA 13, tool start, no cleaning kit
010051.1	Cleaning tool set 50 mm/5 m, antistatic (Hurricane 32, 42, 43)
010051.3	Cleaning tool set 50 mm/10 m, antistatic (Hurricane 32, 42, 43)

**Hurricane 43**

Special vacuum cleaner for fine dust with side channel blower. Suitable, for example, for finish cleaning or for dust removal from hand tools and grinding machines.
 Electrical supply 400 V / 16 A.
 Optional HEPA 13 filtration.
 Dimensions: H 980 W 470 L 900 mm, power cord length 8 m

Power	Tank	mbar	l/min	dB	Kg
3000 W	82 l	270	5800	69	55

Code	Title
007020	Hurricane 43, no cleaning kit
013097	HEPA 13 filter kit for Hurricane 43 (one cartridge filter)
010033.1	Cleaning tool set 38 mm/5 m, antistatic (Hurricane 32, 42, 43)
010033.3	Cleaning tool set 38 mm/10 m, antistatic (Hurricane 32, 42, 43)
010051.1	Cleaning tool set 50 mm/5 m, antistatic (Hurricane 32, 42, 43)
010051.3	Cleaning tool set 50 mm/10 m, antistatic (Hurricane 32, 42, 43)



Eurovac 53

A special vacuum cleaner for applications where high suction power and durability are required. For dry and wet dust.

Star-shaped filter, with a surface area of 2 m².

With optional HEPA 13 filtration and electric vibration cleaning of the filter manually from the switch (page 19).

The suction hose can be Ø 50, 63 or 76 mm.

Power supply: 16A/230 V/50 Hz

Dimensions: H 1350 W 660 L 940 mm, power cord length 8 m

Power	Tank	mbar	l/min	dB	Kg
3600 W	60 l	250	10500	84	85

Code	Title
003010	Eurovac 53, no cleaning kit
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 Trolley

A special vacuum cleaner for applications where high suction power and durability are required. For dry and wet dust.

Star-shaped filter, with a surface area of 2 m².

With optional HEPA 13 filtration and electric vibration cleaning of the filter manually from the switch (page 19).

The suction hose can be Ø 50, 63 or 76 mm.

Power supply: 16A/230 V/50 Hz

Dimensions: H 1350 W 660 L 940 mm, power cable length 8 m

Power	Tank	mbar	l/min	dB	Kg
3600 W	60/100 l	250	10500	84	85

Code	Title
003040	Eurovac 53 Trolley, no cleaning kit
100468	Forklift tip housings (Optional)
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 Trolley bag vacuum cleaner

A special vacuum cleaner for applications where high suction power and durability are required. Garbage collects in an easy-to-empty garbage bag.

The Longopac™ roll is 20 m long and yields approximately 18-20 individual bags. A solid filter with a surface area of 2 m².

With optional HEPA 13 filtration and electric vibration cleaning of the filter manually from the switch (page 19).

The suction hose can be Ø 50, 63 or 76 mm.

Power supply: 16A/230 V/50 Hz

Dimensions: H 1670 W 680 L 1100 mm, power cord length 8 m

Power	Sack	mbar	l/min	dB	Kg
3600 W	50 l	250	10500	84	85

Code	Title
003045	Eurovac 53 Trolley bag vacuum cleaner, no cleaning kit
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
213116	Longopack garbage bag for bag vacuum cleaner, Ø 357 mm/23 m, 4 pieces per package



Eurovac 53 4800

A powerful vacuum for applications where high suction power and durability are required. The unit is equipped with a standard central vacuum standby, which starts when the vacuum box opens, for example. Spot filter with a surface area of 2 m².

With optional HEPA 13 filtration and electric vibration cleaning of the filter manually from the switch (page 22).

The suction hose can be Ø 50, 63 or 76 mm.

Power supply: 16A/400 V/50 Hz

Dimensions: H 1350 W 660 L 940 mm

Power	Tank	mbar	l/min	dB	Kg
4800 W	60 l	400	7800	84	100

Code	Title
003050	Eurovac 53 4800, no cleaning kit
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool kit Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 Small vacuum cleaner

Smaller version of the Eurovac 53 industrial vacuum cleaner

For dry and wet dust.

Star filter, surface area 1,5 m².

Recommended size of the cleaning set 38 or 50 mm.

Electrical supply: 16 A/230 V/50 Hz

Dimensions: H 1070 W 650 mm

Power	Tank	mbar	l/min	dB	Kg
3600 W	50 l	250	10500	84	36

Code	Title
003017	Eurovac 53 Small vacuum cleaner
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool kit Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 barrel vacuum cleaner

A special vacuum cleaner for applications where high suction power and durability are required. For dry and wet dust.

Spotted filter, with a surface area of 2 m².

The suction hose can be Ø 50, 63 or 76 mm.

Available with optional drain cock, float, wheel base and load basket (page 22).

Power supply: 16 A/230 V/50 Hz

Dimensions: H 1560 W 690 mm, power cord length 8 m

Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
3600 W	200 l	250	10500	84	42

Code	Title
003030	Eurovac 53 barrel vacuum cleaner, no equipment no container
003038	Eurovac 53 barrel vacuum cleaner
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool set Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 4800 with crank tipping platform

For dry and wet dust. Spotted filter, with a surface area of 2 m².

The suction hose can be Ø 50, 63 or 76 mm.

Available with optional drain cock, float, basket, HEPA 13 filtration, and electric vibration cleaning of the filter manually from the switch (page 22). Also available with compressed air.

The unit comes standard with a central vacuum system connection; it starts automatically, for example, when the vacuum inlet is opened.

Power supply: 16 A/400 V/50 Hz, Dimensions: H 1870 W 850 L 1250 mm, power cord length 4 m
Pump: 1,3 kW, max. 300 l/min, permeability 30 mm, nail connector 50 mm.

Power	Tank	mbar	l/min	dB	Kg
4800 W	200 l	400	7800	84	125

Code	Title
003053	Eurovac 53 4800 with crank tipping platform, no cleaning kit
003058	Eurovac 53 4800 with crank tipping platform, no cleaning kit, submersible pump
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool kit Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 4800 with side tipping platform

For dry and wet dust. Spotted filter, with a surface area of 2 m².

The suction hose can be Ø 50, 63 or 76 mm.

Available with optional drain cock, float, basket, HEPA 13 filtration, and electric vibration cleaning of the filter manually from the switch (page 22). Also available with compressed air.

The unit comes standard with a central vacuum system connection; it starts automatically, for example, when the vacuum inlet is opened.

Power supply: 16 A/400 V/50 Hz, Dimensions: H 1870 W 850 L 1250 mm, power cord length 8 m
Pump: 1,3 kW, max. 300 l/min, permeability 30 mm, nail connector 50 mm.

Power	Tank	mbar	l/min	dB	Kg
4800 W	200 l	400	7800	84	125

Code	Title
003054	Eurovac 53 4800 with side tipping platform, no cleaning kit
003057	Eurovac 53 4800 with side tipping platform, no cleaning kit, submersible pump
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool kit Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 drum vacuum with crank tipping platform

For dry and wet dust. Spotted filter, with a surface area of 2 m².

The suction hose can be Ø 50, 63 or 76 mm.

Available with optional drain faucet, float, basket, HEPA 13 filtration and filter and electric vibration cleaning with manual switch (page 22).

Also available with compressed air.

Power supply: 16 A/230 V/50 Hz

Dimensions: H 1870 W 840 L 1260 mm, power cord length 8 m

Pump: 1,3 kW, max. 300 l/min, permeability 30 mm.

Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
3600 W	200 l	250	10500	84	120

Code	Title
	Eurovac 53 drum vacuum with crank tipping platform
003034.1	Eurovac 53 drum vacuum with crank tipping platform with submersible pump
010051.2	Cleaning tool set Ø 50 mm/15m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool set Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 drum vacuum with side tipping trolley

For dry and wet dust and liquids. Star filter with a surface area of 2 m².

The tank can be emptied directly onto the garbage scraper with a forklift truck.

Available with optional drain tap, float, basket, HEPA 13 filtration and filter and electric vibration cleaning manually from the switch (page 22).

Also available with compressed air.

Power supply: 16 A/230 V/50 Hz. Dimensions: H 1740 W 660 L 1130 mm, power cord length 8 m

Pump: 1,3 kW, max. 300 l/min, permeability 30 mm.

Power (continuous/ max)	Tank	mbar	l/min	dB	Kg
3600 W	200 l	250	10500	84	120

Code	Title
003035	Eurovac 53 drum vacuum with a side tipping trolley
003050.1	Eurovac 53 drum vacuum with a side tipping trolley with submersible pump
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)
010052.20	Cleaning tool kit Ø 50 mm/20 m antistatic (Eurovac 53)



Eurovac 53 barrel vacuum with forklift pockets 5.5 kW

For dry and wet dust and liquids. Star filter with a surface area of 2 m².

The tank can be emptied directly onto the garbage scraper with a forklift truck.

Crank tipping emptying. The vacuum cleaner is equipped with a frequency converter.

Available with optional discharge tap, float, chip basket (page 22).

Power supply: 16A/400 V/50 Hz

Dimensions: H 1720 W 670 L 1130 mm

Power (continuous / max)	Tank	mbar	l/min	dB	Kg
5.5 kW	200 l	300	8830	70	150

Code	Title
003055	Eurovac 53 barrel vacuum with forklift pockets 5.5 kW
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 barrel vacuum with a crank tipper compressed air

For large amounts of rubbish. For dry and wet dust and liquids.

Star filter with a surface area of 2 m².

The tank can be emptied by forklift truck directly onto a garbage scraper by means of a dragline. Recommended working pressure: 8 bar/1800 l/min/16 mm connector.

With two ejectors: 8 bar/3600 l/min/19 mm connector.

Available with optional drainage tap, wheel chassis, float and chip tray (page 22).

Dimensions: H 1720 W 670 L 1130 mm

Power	Tank	mbar	l/min	dB	Kg
Compressed air with 1 ejector	200 l	400	9000	84	120
Compressed air with 2 ejectors	200 l	400	17000	85	123

Code	Title
003022	Eurovac 53 barrel vacuum compressed air, with crank tipping trolley
003023	Eurovac 53 barrel vacuum , with two ejectors, compressed air with tipping trolley
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 barrel vacuum with side tipping trolley compressed air

For large amounts of rubbish.

For dry and wet dust and liquids. Star filter with a surface area of 2 m².

The tank can be emptied by forklift truck directly onto a garbage scraper by means of a wheeled tipping system.

Recommended working pressure: 8 bar/1800 l/min/16 mm pen connector

With two ejectors: 8 bar/3600 l/min/19 mm pen connector.

Available with optional drain tap, wheel base, float and chip basket (page 22).

Dimensions: H 1720 W 670 L 1130 mm

Power	Tank	mbar	l/min	dB	Kg
Compressed air with 1 ejector	200 l	400	9000	84	120
Compressed air with 2 ejectors	200 l	400	17000	85	123

Code	Title
003026	Eurovac 53 barrel vacuum compressed air, with side tipping trolley
003027	Eurovac 53 barrel vacuum , with two ejectors, compressed air with tipping trolley
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 barrel vacuum compressed air

Compressed air vacuum cleaner for large amounts of debris.

For dry and wet dust, as well as liquids. Star filter, surface area 2 m².

Recommended working air pressure: 8 bar/1800 l/min/16 mm connector.

With two ejectors: 8 bar/3600 l/min/19 mm connector. Available as an option drain tap, wheel base, float and chip basket (page 22). Dimensions: H 1570 W 700 L 920 mm

Power	Tank	mbar	l/min	dB	Kg
Compressed air with 1 ejector	200 l	400	9000	84	42
Compressed air with 2 ejectors	200 l	400	17000	85	45

Code	Title
003031	Eurovac 53 barrel vacuum compressed air
003032	Eurovac 53 barrel vacuum, with two ejectors compressed air
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 Trolley compressed air

Compressed air vacuum cleaner for large amounts of debris, dry and wet dust, and liquids. Star filter, surface area 2 m².

Recommended working air pressure: 8 bar/1800 l/min/16 mm connector

With two ejectors: 8 bar/3600 l/min/19 mm connector. Dimensions: H 1720 W 670 L 1130 mm

Power	Tank	mbar	l/min	dB	Kg
Compressed air with 1 ejector	60 l	400	9000	84	85
Compressed air with 2 ejectors	60 l	400	17000	85	90

Code	Title
003021	Eurovac 53 Trolley compressed air
003025	Eurovac 53 Trolley compressed air with two ejectors
010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
010052.15	Cleaning tool set Ø 50 mm/15 m antistatic (Eurovac 53)



Eurovac 53 Small compressed air

Industrial vacuum cleaner with compressed air. For dry and wet dust and liquids. Star filter, surface area 1,5 m².

Recommended working pressure 6 bar/1200 l/min/16 mm pen connector.

Recommended size of the cleaning tool kit is 38 mm. Dimensions: H 1020 W 510 mm

Power	Tank	mbar	l/min	dB	Kg
Compressed air	50 l	400	3333	87	22

Code	Title
003033	Eurovac 53 Small compressed air
010033.2	Cleaning tool set Ø 38 mm/5 m antistatic (Eurovac 53)
010033.10	Cleaning tool set Ø 38 mm/10 m antistatic (Eurovac 53)
010033.15	Cleaning tool set Ø 38 mm/15 m antistatic (Eurovac 53)
010033.20	Cleaning tool set Ø 38 mm/20 m antistatic (Eurovac 53)



Eurovac 53 battery vacuum cleaner

The Eurovac battery vacuum cleaner is based on the filter technology and chassis design of the Eurovac 53 barrel vacuum cleaner. The unit is equipped with a work platform, which also has housings for forklift trucks.

Platform models are available with side tipping and crank tipping emptying. The side tipping emptying model can be conveniently emptied by a forklift truck using a wedge in the body, which allows the drum to be tipped empty directly onto the skip without having to get off the truck.

The 1950 W motor power of the Eurovac vacuum cleaner provides a vacuum of 120 mbar and an air flow of about 6000 l/min. Battery life is affected by the material to be vacuumed. In normal use, the battery life is approximately 1.5 h and the charging time is 8 h.

Power	Tank	mbar	l/min	dB	Kg
1950 W	200 l	120	6000	78	300

Code	Title
	Eurovac 53 battery vacuum
010033.2	Cleaning tool set Ø 38 mm/5 m antistatic (Eurovac 53)



Blue Line series

Blue Line industrial vacuum cleaners are equipped with a highly efficient turbine-motor, which allows for long continuous operation. The filter has a surface area of 4 m². The suction hose can be Ø 50, 63 or 76 mm. A central suction version is also available.

Dimensions: H 1800 W 730 L 1390 mm

Power	Tank	mbar	l/min	m³/h	Power supply	Kg
11 kW	60 l	280	17500	1050	32A / 400V	150
25 kW	60 l	400	18500	1110	63A / 400V	200

Code	Title
018215	Blue Line 200 with compressed air cleaning
010054.3	Cleaning tool kit 76mm 15m (antistatic)
010054.4	Cleaning tool kit 76mm 20m (antistatic)



Blue Line 68



Blue Line series

Blue Line industrial vacuum cleaners are equipped with a highly efficient turbine-motor, which allows for long continuous operation. The filter has a surface area of 4 m². The suction hose can be Ø 50, 63 or 76 mm. A central suction version is also available.

Dimensions: H 1800 W 730 L 1390 mm

Power	Tank	mbar	l/min	m³/h	Power supply	Kg
11 kW	60 l	280	17500	1050	32A / 400V	150
25 kW	60 l	400	18500	1110	63A / 400V	200

Code	Title
003071	Blue Line 68 (11 kW) with compressed air cleaning
003072	Blue Line 69 (25 kW) with compressed air cleaning
013098	HEPA 13 package
010054.3	Cleaning tool kit 76mm 15m (antistatic)
010054.4	Cleaning tool kit 76mm 20m (antistatic)



Blue Line 1000 container vacuum

The Blue Line industrial vacuum cleaners are equipped with a high-efficiency turbine engine, automatic start and hydraulic door opening as standard. Suitable for vacuuming e.g. construction waste, concrete dust, ash and metal shavings. The suction hose can have a diameter of up to 102 mm. The waste container has a capacity of 1000 l. Filter 4 m². Can also be used as a central vacuum unit. Adjustable lifting legs are also available for the container vacuum cleaner. Approx. dimensions: H 2200 W 1655 L 1540 mm

Power	Tank	mbar	l/min	m³/h	Power supply	Kg
11 kW	1000 l	280	17500	1050	32A / 400V	700
25 kW	1000 l	400	18500	1110	63A / 400V	800



Code	Title
080006	Eurovac Blue Line 1000 , 11 kW , hydraulic hatch, compressed air cleaning
080012	Eurovac Blue Line 1000 , 25 kW , hydraulic hatch, compressed air cleaning
055020	Foot kit L 1330 mm, Blue line 1000 (optional)
010054.3	Cleaning tool kit 76mm 15m (antistatic)
010054.4	Cleaning tool kit 76mm 20m (antistatic)



Blue Line 1000 TR tractor vacuum

Eurovac Blue Line 1000 TR tractor vacuum cleaners use the tractor's articulated shaft to provide suction power, recommended tractor power at least 40 kW. Thanks to the rotary piston unit, high suction power can be achieved even with a moderately small tractor.

The filter unit of the unit is equipped with 12 m² lamella filters.

The filters are cleaned manually using a shaker.

The 1500-litre bin is equipped with a hydraulically-operated discharge hatch, so emptying is effortless. The suction units are equipped with 150 mm hose reels, recommended the size of the suction hose is 76-150 mm.

Power	Tank	mbar	m ³ /h	Kg
40 kW	1500 l	490	1960	1200

Code	Title
------	-------

009225	Eurovac Blue Line 1000 TR
--------	---------------------------

010054.3	Cleaning tool kit 76mm 15m (antistatic)
----------	---

010054.4	Cleaning tool kit 76mm 20m (antistatic)
----------	---



Eurovac Cube

The Eurovac Cube suction container is designed for applications where there is a large amount of material to be sucked, such as ash. The unit has two separate containers with a capacity of 1.3 m³ or 1.7 m³, depending on the model. The separator effectively separates the suction material and thus protects the actual filter of the vacuum cleaner.

The container is directly compatible with the Eurovac 53 drum vacuum cleaner, so the container can be connected to an existing vacuum cleaner.

The filter unit is equipped with a 2 m² tetratex coated star filter. The filters are cleaned manually using a shaker. The vacuum cleaner can also be equipped with an electric agitator

The waste container can also be equipped with a hydraulically operated emptying hatch for easy emptying.

Power	Tank	mbar	l/min	dB	Voltage	Kg
3600 W	1300 or 1700 l	250	10500	84	230 V / 16A	400
4800 W	1300 or 1700 l	400	7600	84	400 V / 16A	410

Code	Title
------	-------

080030	Eurovac 53 ash suction container 3600 W 1300 l
--------	--

080031	Eurovac 53 ash suction container 4800 W 1300 l
--------	--

080033	Eurovac 53 ash suction container 3600 W 1700 l
--------	--

080034	Eurovac 53 ash suction container 4800 W 1700 l
--------	--

010051.2	Cleaning tool kit Ø 50 mm/5 m, antistatic (Eurovac 53)
----------	--

010052.1	Cleaning tool kit Ø 50 mm/10 m, antistatic (Eurovac 53)
----------	---

010052.15	Cleaning tool kit Ø 50 mm/15 m, antistatic (Eurovac 53)
-----------	---

010052.20	Cleaning tool kit Ø 50 mm/20 m, antistatic (Eurovac 53)
-----------	---

027071	Front loader adapter EURO
--------	---------------------------

027072	Front loader adapter Volvo L20-L25
--------	------------------------------------



Eurovac 53 chip vacuum 4800

The Eurovac 53 chip vacuum is suitable for vacuuming dry and solid material. The vacuum cleaner has a drain tap at the bottom which is mechanically operated by gravity. The unit comes standard with a central vacuum system connection; it starts automatically, for example, when the vacuum inlet is opened.

Power supply: 16 A/400 V/50 Hz, Recommended hose sizes: Ø 50 mm or 76 mm

Dimensions 75 Litres: W 800 x L 1100 x H 2098 mm

Dimensions 175 Litres: W 800 x L 1100 x H 2598 mm

Power	Tank	mbar	l/min	dB	Kg
4800 W	75 l	400	7800	84	100
4800 W	175 l	400	7800	84	108

Code	Title
003067	Eurovac 53 chip vacuum 4800 , 75 l , counterbalance emptying
003076	Eurovac 53 chip vacuum 4800 , 175 l , counterbalance emptying
003067.1	Eurovac 53 chip vacuum 4800 , 75 l , automatic vibration filter cleaning
003077	Eurovac 53 chip vacuum 4800 , 175 l , automatic vibration filter cleaning



Eurovac 53 chip vacuum compressed air

The Eurovac 53 vacuum cleaner is suitable for vacuuming dry and solid material. The vacuum cleaner has a drain valve at the bottom which is mechanically operated by gravity.

Recommended working air pressure with two ejectors: 8 bar/3600 l/min

Recommended hose sizes: Ø 50 mm or 76 mm

Dimensions 75 Litres: L 800 x P 1100 x H 2098 mm

Dimensions 175 Litres: L 800 x W 1100 x H 2598 mm

Power	Tank	mbar	l/min	dB	Kg
Compressed air with 2 ejectors	75 l	400	17000	85	100
Compressed air with 2 ejectors	175 l	400	17000	85	108

Code	Title
003068	Eurovac 53 chip vacuum 4800 compressed air with two ejectors, 75 l , bottom flap emptying
003078	Eurovac 53 chip vacuum 4800 compressed air with two ejectors, 175 l , bottom flap emptying

OPTIONS FOR EUROVAC 53 SERIES VACUUM CLEANERS

	Code	Title
	013098	HEPA 13 kit for Eurovac vacuum cleaners. Suitable for vacuum cleaners: 003010, 003040, 003045, 003050, 003034, 003035, 003065, 003066, 003069 (Contact sales to ensure compatibility.)
	018050	Electrically driven vibration cleaning for the vacuum cleaner filter Suitable for vacuum cleaners: 003010, 003040, 003045, 003050, 003034, 003035, 080030, 080031, 003065, 003066, 003069
	019151	Drain tap for Eurovac industrial vacuum cleaners, includes protective net. Size 2" Suitable for vacuum cleaners: 003038, 003034, 003035, 003055, 003031, 003032
	100910	Floating device for barrel vacuum cleaner Suitable for vacuum cleaners: 003038, 003034, 003035, 003055, 003031, 003032
	019150	Chip basket for 200 l tank Suitable for vacuum cleaners: 003038, 003034, 003035, 003055, 003031, 003032 Note! Check compatibility with sales.
	100219	Wheeled platform for 200 l barrel, with 80 mm wheels Suitable for vacuum cleaners: 03038, 003034, 003035, 003055, 003031, 003032
	019412	Chassis for two barrels with crank tipper, front loader/forklift attachment Standard Volvo BM L50-L120 fittings, on request also available with several other fitting options e.g. EURO.

>>> OIL AND CUTTING FLUID VACUUMS

**Tecnoil 100MPI**

The Tecnoil 100MPI liquid vacuum cleaner is a versatile and compact machine, ideal for vacuuming chips, oil and cutting fluids. Its strong steel construction and high quality materials ensure a long service life in demanding conditions. It has a liquid capacity of 100 litres and a solids capacity of 40 litres.

Dimensions: H 1350 mm W 670 mm D 660 mm

Power	Power supply	mbar	m3/h	dB	Kg
3,45 kW	16 A / 230 V / 50 hz	245	540	78	70

Code	Title
002487	Tecnoil 100MPI liquid vacuum

**Tecnoil 100IF**

The Tecnoil 100IF liquid vacuum cleaner is a versatile and compact machine, ideal for vacuuming chips, oil and cutting fluids. Its strong steel construction and high quality materials ensure a long service life in demanding conditions. It has a liquid capacity of 100 litres and a solid capacity of 40 litres.

Dimensions: H 1350 mm W 670 mm D 660 mm

Power	Power supply	mbar	m3/h	dB	Kg
3 kW	400 V / 16 A	295	318	78	95

Code	Title
002486	Tecnoil 100IF liquid vacuum

**Tecnoil 220MPI**

The Tecnoil 220MPI liquid vacuum cleaner is a versatile and compact machine, ideal for vacuuming chips, oil and cutting fluids. Its strong steel construction and high quality materials ensure a long service life in demanding conditions. It has a liquid capacity of 220 litres and a solids capacity of 40 litres.

Dimensions: H 1450 mm W 720 mm D 1750 mm

Power	Power supply	mbar	m3/h	dB	Kg
3,45 kW	16 A / 230 V / 50 hz	245	540	76	165

Code	Title
002489	Tecnoil 220MPI liquid vacuum

**Tecnoil 220IF**

The Tecnoil 220IF liquid vacuum cleaner is a versatile and compact machine, ideal for vacuuming chips, oil and cutting fluids. Its strong steel construction and high quality materials ensure a long service life in demanding conditions. It has a liquid capacity of 220 litres and a solids capacity of 40 litres.

Dimensions: H 1450 mm W 720 mm D 1750 mm

Power	Power supply	mbar	m3/h	dB	Kg
3 kW	400 V / 16 A	295	318	78	185

Code	Title
002488	Tecnoil 220IF liquid vacuum

>>> RITA CLEANING - DRY / WET VACUUM CLEANERS



Rita BF575

A powerful and easily manoeuvrable wet/dry vacuum cleaner with a 30 litre blade tank on a four-wheel chassis. It can vacuum both wet and dry debris.

With an additional filter, the vacuum can also suck up cold ash.

5 m suction hose with 38 mm cleaning hose as standard.

Dimensions: H 760 mm W 370 mm

Power	Tank	mbar	l/min	dB	Kg
1200/1600 W	30 l	240	3180	80	10

Code	Title
002501	Rita BF 575
013003	Additional fine dust filter 300 series

>>> CYCLONES AND PRE-SEPARATORS



Cyclone separator with push platform

A powerful cyclonic separator for fine debris with a 60-litre tank, which separates debris using the cyclonic principle, thus protecting the filters of the actual vacuum cleaner. Suitable for 38, 50, 63 or 76 mm hoses. Hose not included.
Dimensions: H 1670 mm W 670mm L 990 mm

Tank	max underpressure	airflow	Weight
60l	400 mbar	3300-16000 l/min	65 kg

Code	Title
------	-------

016210	Cyclone separator with push platform
011103	Hose connector alum Ø 70, for 38 mm hose
011071	Hose connector alum Ø 70, for 50 mm hose
011101	Hose connector alum Ø 70, for 63 mm hose
011102	Hose connector alum Ø 70, 76 mm for hose



Cyclone separator with wall bracket

A powerful cyclone separator for fine debris or hot ash, mounted on top of a 200 litre barrel. It pre-separates the debris in a cyclonic manner, protecting the filters of the actual vacuum cleaner. Suitable for 38, 50, 63 or 76 mm hoses. Hose not included.
Dimensions: H 1670 mm W 670 mm L 990 mm

max underpressure	airflow	Weight
400 mbar	3300-16000 l/min	40 kg

Code	Title
------	-------

016211	Cyclone separator with wall bracket (no barrels included)
100098	Tank 200 l with handles and hooks
011103	Hose connector alum Ø 70, for 38 mm hose
011071	Hose connector alum Ø 70, for 50 mm hose
011101	Hose connector alum Ø 70, for 63 mm hose
011102	Hose connector alum Ø 70, 76 mm for hose



Eurovac chip cyclone

A powerful 200 litre drum top mounted cyclone separator for fine debris. Pre-separates the debris using the cyclone principle, thus protecting the filters of the actual vacuum cleaner. Suitable for 100, 125 or 160 mm hoses. Hose not included.
Dimensions: H 1670 mm W 670 mm L 990 mm

max underpressure	airflow	Weight
300 mbar	16000-57000 l/min	40 kg

Code	Title
------	-------

090301	Cyclone for saw dusts on top of a 200 l drum
100098	Tank 200 l with handles and hooks



Cyclone lid for 200l drum

Powerful cyclone separator for fine debris or hot ash, mounted on top of a 200 litre drum. It pre-separates the debris in a cyclonic manner, protecting the filters of the actual vacuum cleaner. Suitable for 38, 50, 63 or 76 mm hoses.

When combined with a compressed air vacuum, the lid and the tank must be reinforced models.

Model	max underpressure	airflow	Weight
Standard	300 mbar	3300-16000 l/min	15 kg
Reinforced	400 mbar	3300-16000 l/min	17 kg

Code	Title
100171	Cyclone cover for 200 l tank, not including hose connectors
100171.1	Cyclone cover for 200 l tank, includes hose connectors for d.38 mm hose
100171.2	Cyclone cover for 200 l tank, includes hose connectors for d.50 mm hose
100171.3	Cyclone cover for 200 l tank, includes hose connectors for d.63 mm hose
100171.4	Cyclone cover for 200 l tank, includes hose connectors for d.76 mm hose
100173	Cyclone cover for 200 l tank, reinforced model, not including hose connectors
100098	Tank 200 l with handles and hooks
100099	Tank 200 l reinforced with handles and hooks
100097	Tank 200 l with handles and hooks, RST
019115	Engine cover latch for 200-liter metal tank



Cyclone pre-separator 40 or 82 l

Powerful cyclone pre-separator with 40 or 82 litre tank for fine debris or hot ash. Separates using the cyclone principle to protect the filters of the actual vacuum cleaner. Suitable for 38, 50, 63 or 76 mm hoses.

max underpressure	airflow	Weight
300 mbar	3300-10700 l/min	15 kg

Code	Title
016104	Cyclone separator 40 litres, not including hose connectors
016105	Cyclone separator 82 litres, not including hose connectors
016105.1	Cyclone separator 82 litres incl. hose connectors for d.38 mm hose
016105.2	Cyclone separator 82 litres incl. hose connectors for d.50 mm hose
016105.3	Cyclone separator 82 litres incl. hose connectors for d.63 mm hose
016105.4	Cyclone separator 82 litres incl. hose connectors for d.76 mm hose
015048	Wheeled chassis for d.400 tank (40 or 82 l for pre-separator)



Cyclone pre-separator 53 with longopac push platform

It pre-segregates the debris in a cyclonic manner, protecting the filters of the actual vacuum cleaner. The debris is easily collected in an emptying bin liner. The Longopac™ roll is 20 m long and yields approximately 18-20 individual bags. Suitable for 38, 50, 63 or 76 mm hoses. Does not include fittings for hoses.

max underpressure	airflow	Weight
300 mbar	3300-16000 l/min	50 kg

Code	Title
016209	Cyclone separator 53 with longopac push platform
011103	Hose connector alum. d.70/38 mm for suction hose for vacuum cleaner
011071	Hose connector alum. d.70/50 mm for suction hose for vacuum cleaner
011101	Hose connector alum. d.70/63 mm for suction hose for vacuum cleaner
011102	Hose connector alum. d.70/75 mm for suction hose for vacuum cleaner



Pre-separator with 63 l filter

A powerful 63-litre hopper pre-separator for fine debris. Pre-segregates debris to protect the filters of the actual vacuum cleaner. Suitable for 38 or 50 mm hoses. Hose fittings not included. Not suitable for hot ashes.

max underpressure	airflow	Weight
300 mbar	max 10700 l/min	15 kg

Code	Title
004023	Pre-separator 63 litres with filter and lid, not suitable for hot ashes
015048	Wheeled platform for 63 l pre-separator
011057	Hose connector for 38 mm hose and 60 mm hose opening
011061	Hose connector for 50 mm hose and 60 mm hose opening



Tipper container pre-separator

Separates the debris in a cyclonic fashion, protecting the filters of the actual vacuum cleaner. The debris accumulates in a skip container.
 1000 l tipper dimensions with lid: H 1800 mm W 1130 mm L 1900 mm
 600 l tipper dimensions with lid: H 1600 mm W 910 mm L 1630 mm
 Standard hose options: 38, 50, 60, 76, 102 mm
 Other compound options are also available on request, e.g. chewing collar.

model	max underpressure	airflow	container weight	lid weight
150 l	800 mbar	1300 - 4700 m³/h	55 kg	30 kg
300 l	800 mbar	1300 - 4700 m³/h	80 kg	55 kg
600 l	800 mbar	1300 - 4700 m³/h	200 kg	90 kg
1000 l	800 mbar	1300 - 4700 m³/h	300 kg	120 kg

Code	Title
080235	Tipper container 150 l with cyclone lid, no wheels
080203	Tipper container 300 l, reinforced, without lid
080235	Dumpster lid for a 300 l tipper with a cyclone
080205	Tipper container 600 l, reinforced
080237	Dumpster lid for 600 l dumpster, reinforced
100338	Tipper container 1000 l, reinforced
080238	Dumpster lid for 1000 l dumpster, reinforced



Blue Line 1000 container vacuum

Blue Line industrial vacuum cleaners are equipped with a highly efficient turbine-type sub-engine. Automatic start and hydraulically operated hatch opening as standard.
 Suitable for vacuuming e.g. construction waste, concrete dust, ash and metal shavings.
 The suction hose diameter can range from 50 to 102 mm.
 The capacity of the waste container is 1000 l. Filter 4 m².
 The device can also be used as a central vacuum unit.
 Dimensions approx: H 2200 W 1655 L 1540 mm

Power	Tank	mbar	l/min	m ³ /h	Power supply	Kg
11 kW	1000 l	280	17500	1050	32A / 400V	700
25 kW	1000 l	400	18500	1110	63A / 400V	800

Eurovac container vacuum cleaner, diesel 147 kW

The Eurovac high-capacity vacuum cleaner is a cost-effective solution compared to a traditional vacuum truck, as the container vacuum cleaners are equipped with their own diesel engine and can therefore be operated without a truck. Eurovac container vacuum cleaners can be used to vacuum wet and dry debris.
 By using a large vacuum cleaner, you also avoid inhaling mold, asbestos dust and other dangerous dusts while vacuuming. Common applications include construction and demolition sites, road sweeping, and ash sweeping in heating plants and incinerators.

Power	Tank	mbar	m ³ /h	dB	Kg
147 kW	13 m ³	500	4100	95	-

Eurovac trailer vacuum cleaner >50 kW

The Eurovac trailer vacuum is ideal for contracting (for example, removing old roof insulation). It can be used to suck up dry dust and debris. The filter area is 18 m². Recommended tractor power >50 kW. Suction nozzle 102-200 mm. Examples of materials to be vacuumed: saw chips, peat, moss, sand, wool, dust, lecasora, ash, etc.

Trailer dimensions: H 3100, W 2480, L 6100 mm.

Power	Tank	mbar	m ³ /h	dB	Kg
>50 kW	6 m ³	500	2300	-	n. 3600

Eurovac Cube

The Eurovac Cube is designed for applications with a high volume of absorbent material. It is suitable for vacuuming ash, for example. The suction tank is divided into two parts, the first part acting as a cyclone separator and the second part as the suction tank.
 The equipment is equipped with the appropriate suction unit and accessories, such as a front-loading attachment, according to the customer's wishes and needs.

Flat-bottom tank, emptying with front loader.

Power	Tank	mbar	m ³ /h	dB	Kg
4800 W	1300 l	400	7600	-	410



Ask our sales staff for more information about renting.
Pick-up and return of rental equipment Mon-Fri 8.00-15.00.

>>> ACCESSORIES AND SPARE PARTS

CLEANING KITS AND MOUTHWASHES

NOTE! WHEN ORDERING CLEANING KITS, PLEASE ALSO INDICATE THE VACUUM CLEANER MODEL

	Code	Title
	010031	Cleaning tool kit Ø 38 mm 4,5 m plastic/aluminium suction hoses This kit is standard on vacuum cleaners (303, 423, 433)
	010032.1	Cleaning tool set Ø 38 mm/5 m with alum suction hose (Eurovac 303, 423, 433)
	010050.1	Cleaning tool kit Ø 50 mm/5 m (Eurovac 423, 433)
	010033.1	Cleaning tool set Ø 38 mm/5 m antistatic (Hurricane 32, 42, 43)
	010051.1	Cleaning tool set Ø 50 mm/5 m antistatic (Hurricane 32, 42, 43)
	010033.3	Cleaning tool set Ø 38 mm/10 m antistatic (Hurricane 32, 42, 43)
	010051.3	Cleaning tool set Ø 50 mm/10 m antistatic (Hurricane 32, 42, 43)
	010033.4	Cleaning tool set Ø 38 mm/15 m antistatic (Hurricane 32, 42, 43)
	010051.15	Cleaning tool set Ø 50 mm/15 m antistatic (Hurricane 32, 42, 43)
	010033.5	Cleaning tool set Ø 38 mm/20 m antistatic (Hurricane 32, 42, 43)
	010051.20	Cleaning tool set Ø 50 mm/20 m antistatic (Hurricane 32, 42, 43)
	010033.2	Cleaning tool set Ø 38 mm/5 m antistatic (Eurovac 53)
	010051.2	Cleaning tool set Ø 50 mm/5 m antistatic (Eurovac 53)
	010052.1	Cleaning tool set Ø 50 mm/10 m antistatic (Eurovac 53)
	010033.10	Cleaning tool set Ø 38mm/10m antistatic (Eurovac 53)
	010033.15	Cleaning tool set Ø 38mm/15m antistatic (Eurovac 53)
	010052.15	Cleaning tool kit Ø 50mm/15m antistatic (Eurovac 53)
	010033.20	Cleaning tool kit Ø 38mm/20m antistatic (Eurovac 53)
	010052.20	Cleaning tool kit Ø 50mm/20m antistatic (Eurovac 53)
	010035	Cleaning tool kit Ø 35 mm/5 m (Eurovac 101)
	011051	Hose connector for 32 mm hose for 50 mm opening
	011052	Hose connector for 32 mm hose for 60 mm opening
	011056	Hose connector for 38 mm hose for 50 mm opening
	011057	Hose connector for 38 mm hose for 60 mm opening
	011061	Hose connector for 50 mm hose for 60 mm opening
	011105	Hose connector alum Ø 58, for 38 mm hose for Hurricane vacuum cleaners (H32/H42/H43)
	011072	Hose connector alum Ø 58, for 50 mm hose for Hurricane vacuum cleaners (H32/H42/H43)
	011103	Hose connector alum Ø 70, for 38 mm hose (Eurovac 53 series, Blue Line series)
	011071	Hose connector alum Ø 70, for 50 mm hose (Eurovac 53 series, Blue Line series)
	011101	Hose connector alum Ø 70, 63 mm for hose (Eurovac 53 series, Blue Line series)
	011102	Hose connector alum Ø 70, 76 mm for hose
	011054	Hose connector 38 mm for suction pipe rotating
	011059	Hose connector 38 mm for suction pipe antistatic soft rubber
	011064	Hose connector for 50 mm suction tube black
	011073	Hose connector 50 mm for suction pipe antistatic soft rubber

	Code	Title
	011131	Pipe/hose handle plastic 35 mm
	011141	Pipe/hose handle plastic 38 mm
	011132	Suction hose 35 mm, plastic/aluminium, L 500 mm
	011140	Suction hose 38 mm, plastic/aluminium, L 500 mm
	011146	Suction pipe 38 mm, plastic, P 500 mm (not suitable for floor nozzle)
	011165	Suction pipe 50 mm, plastic, P 500 mm (not suitable for floor nozzle)
	011143	Suction rod aluminium 38 mm, length 1470 mm
	011160	Suction rod aluminium 50 mm, length 1470 mm
	022058	Suction tube straight aluminium 38 mm, length 6 m
	022059	Suction tube straight aluminium 50 mm, length 6 m
	011225.1	Suction hose 38 mm, with connectors, length 4,5 m (Eurovac 303, 423, 433)
	011226.1	Suction hose 38 mm, with connectors, length 5 m, antistatic (Hurricane 32, 42, 43)
	011226.2	Suction hose 38 mm, with connectors, length 5 m, antistatic (Eurovac 53)
	011230.1	Suction hose 50 mm, with connectors, length 5 m (Eurovac 423, 433)
	011231.1	Suction hose 50 mm, with connectors, length 5 m (Hurricane 32, 42, 43)
	011231.2	Suction hose 50 mm, with connectors, length 5 m (Eurovac 53)
	012020.1	Floor nozzle 400 mm with brushes Ø 38 mm for suction pipe
	012020.2	Floor nozzle 400 mm with brushes Ø 50 mm for suction pipe
	012021.1	Floor nozzle 400 mm with rubber Ø 38 mm for suction pipe
	012021.2	Floor nozzle 400 mm with rubber Ø 50 mm for suction pipe
	012019	Floor nozzle Ø 38 mm, W 450 mm, plastic body
	012025	Floor nozzle Ø 50 mm, W 450 mm, plastic body
	012017	Floor nozzle Ø 38 mm, W 375 mm, aluminium body, rubber feet
	012017.1	Floor nozzle Ø 38 mm, W 375 mm, aluminium frame, brush strips
	012018.1	Floor nozzle Ø 38 mm, W 450 mm, aluminium body, rubber feet
	012018.2	Floor nozzle Ø 38 mm, W 450 mm, aluminium frame, brush strips
	012022	Floor nozzle Ø 50 mm, W 375 mm, aluminium body, rubber feet
	012023.1	Floor nozzle Ø 50 mm, W 450 mm, aluminium body, rubber feet
	012023.2	Floor nozzle Ø 50 mm, W 450 mm, aluminium frame, brush strips
	012024.1	Floor nozzle Ø 50 mm, W 500 mm, all aluminium, rubber strips
	012024.2	Floor nozzle Ø 50 mm, W 500 mm, all aluminium, brush strips
	012027	Brush strip for floor nozzle W 395 mm, rear (fits 450 mm outlet)
	012028	Brush strip for floor nozzle W 440 mm, front (fits 450 mm inlet)
	012072	Brush strip for floor nozzle W 370 mm, rear (fits 400 mm outlet)
	012073	Brush strip for floor nozzle W 370 mm, front (fits 400 mm inlet)
	012076.2	Brush strip for floor nozzle W 445 mm (fits 500 mm outlet, rear)
	012076.1	Brush strip for floor nozzle W 495 mm (fits 500 mm inlet, front)

	Code	Title
	012034	Rubber strip for floor nozzle W 395 mm, rear (fits 450 mm inlet)
	012035	Rubber strip for floor nozzle W 440 mm, front (fits 450 mm inlet)
	012074	Rubber strip for floor nozzle W 370 mm, rear (fits 400 mm inlet)
	012075	Rubber strip for floor nozzle W 370 mm, front (fits 400 mm inlet)
	012080.1	Rubber strip for floor nozzle W 500 mm, front (fits 500 mm inlet)
	012080.2	Rubber strip for floor nozzle W 500 mm, rear (fits 500 mm inlet)
	012033	Rubber strip for floor nozzle, universal model, sold by the metre
	012212	Front nozzle with brushes, 433 for vacuum cleaner with work platform
	012213	Front nozzle with rubber, 433 for vacuum cleaner with work platform
	012044	Brush 32 mm round (inner neck Ø 32,5 mm)
	012045	Brush 35 mm round (inner neck Ø 35,5 mm)
	012046	Brush 38 mm round (inner neck Ø 45,2 mm)
	012047	Brush 50 mm round (inner neck Ø 59,2 mm)
	012050	Flat nozzle 32 mm plastic, L 200 mm (inner neck Ø 32,5 mm)
	012051	Flat nozzle 35 mm plastic, L 200 mm (inner neck Ø 35,5 mm)
	012052	Flat nozzle 38 mm plastic, L 240 mm (inner neck Ø 45,2 mm)
	012062	Flat nozzle 50 mm plastic, L 370 mm (inner neck Ø 59,2 mm)
	012067	Pipe nozzle 32 mm plastic, flexible, length 600 mm suitable with 38mm cleaning kit when using adapter 012220
	012053	Galvanized steel nozzle 38 mm, length 1000 mm
	012054	Aluminium nozzle 38 mm, length 800 mm
	012058	Aluminium nozzle 50 mm, length 580 mm
	012057	Aluminium nozzle 76 mm, length 700 mm
	012061	Brush Suitable for 32 and 35 mm nozzle
	012068	Cable brush 35 mm
	012006	Brush nozzle 35 mm, W 235 mm oval
	012059	Nozzle 50 mm, W 100 mm
	012060	Nozzle with brush 50 mm, W 200 mm


	Code	Title
	011044	Hose extender for 32 mm suction hose, antistatic (colour black)
	011045	Hose extender for 38 mm suction hose, antistatic (colour black)
	011046	Hose extender for 50 mm suction hose, antistatic (colour black)
	019556	3" Female Camlock Coupling for 75 mm suction Hose (compatible with 019557)
	019557	3" Male Camlock Coupling for 75 mm suction Hose (compatible with 019557)
	012218	Conversion piece 50/35 mm, plastic
	012216	Conversion piece 38/35 mm, plastic
	012220	Conversion piece 38/32 mm, plastic
	012219	Conversion piece 35/32 mm, sleeve for nozzle neck
	012217	Conversion piece 38 mm, plastic Allows the use of e.g. a brush or a nozzle 38 mm at the end of the handle or suction tube.
	012063	Conical nozzle 38 mm rubber, P 370 mm
	012090	Special nozzle 50 mm, L 540 mm
	012091	Special nozzle 75 mm, L 540 mm
	011182	Suction rod 50 mm aluminium, for special nozzle, no handles
	011181	Suction rod 75 mm aluminium, for special nozzle, with handles
	011184	Stacking rod 50 mm aluminium
	011186	Stacking rod 75 mm aluminium , no handles
	011185	Stacking rod 75 mm aluminium , with handles
	012100	Suction tip for diamond drilling d. 50mm
	011178	Telescopic suction rod d.50/49 mm carbon fibre. Length 1120-2018 mm. For a larger end, e.g. connector 011073 is suitable.
	011178.1	Telescopic suction rod d.50/40 mm carbon fibre. Length 1120-2018 mm. For a larger end, e.g. connector 011073 is suitable. For the smaller end, e.g. 012046 - round brush 38 mm.
	011179	Telescopic suction rod d.50/49 mm carbon fibre. Length 1670-4000 mm. For a larger end, e.g. connector 011073.






	Code	Title
	011171	Brush 32 mm. for ATEX22
	011172	Flat nozzle 32 mm. for ATEX22
	011173	Flat nozzle 32 mm. for ATEX22
	011174	Conversion piece 38 -> 32 mm , aluminium, fits hose connector
	011170	Floor nozzle with brushes. d. 38 mm, width 300 mm for ATEX22
	011142	"S" suction rod 38 mm. 2-piece
	011059	Hose connector for 38 mm suction rod, antistatic, soft rubber
	011088	RST floor nozzle 430 mm / Ø38 mm
	011089	RST suction rod / Ø38 mm
	011090	Atex brush Ø38 mm
	011091	Atex rubber cone nozzle Ø38 mm
	011073	Hose connector for 50 mm suction rod, antistatic, soft rubber
	2000066	RST suction rod / Ø50 mm
	2000067	RST floor nozzle 430 mm / Ø50 mm
	011158	Hose connector for d. 50 mm suction rod. for ATEX22. Also requires a connector for suction hose 011073.
	011159	Round slotted nozzle d.50 mm. for ATEX22


SUCTION HOSES

	Code	Title, inside diameter of hose
	011010	Suction hose 32 mm (colour silver, 20 m in reel)
	011011	Suction hose 32 mm antistatic (colour black, 20 m per reel)
	011021	Suction hose 38 mm, antistatic (20 m in reel)
	011033	Suction hose 50 mm, antistatic (20 m in reel)
	011087	Suction hose 50 mm light, PVC grey (50 m in reel)
	011086	Suction hose 63 mm light, PVC grey (40 m in reel)
	011085	Suction hose 76 mm light, PVC grey (50 m in reel)
	011310	Rubber Suction Hose 38 mm (Inner/Outer Diameter 38/48 mm)
	011320	Rubber Suction Hose 50 mm (Inner/Outer Diameter 51/61 mm)
	011330	Rubber Suction Hose 63 mm (Inner/Outer Diameter 63/73 mm)
	011340	Rubber Suction Hose 76 mm (Inner/Outer Diameter 76/85 mm)
	011385	Polyurethane suction hose 51 mm , light vacuuming
	011387	Polyurethane suction hose 76 mm , light vacuuming
	011392	Polyurethane suction hose 51 mm , abrasion resistant
	011393	Polyurethane suction hose 63 mm , abrasion resistant
	011394	Polyurethane suction hose 76 mm , abrasion-resistant

	Code	Title
	012901	Dust bag for Eurovac Green 870 vacuum cleaner (microfibre), 10 pcs/package
	013076	Dust bag for tank 15 litres (for vacuum cleaner 101)
	013064	Dust bag for tank 32 litres (for vacuum cleaner 303)
	013015	Dust bag for tank 33 litres (for vacuum cleaner 303) microfibre
	013058	Dust bag for tank 63 litres (400 srj) microfiber
	013060	Dust bag Hurricane 31/32
	013061	Dust bag Hurricane 41/42/43, Kiekens B192
	013062	Dust bag model Hurricane 53
	013066	Dust bag for 200 l tank
	013022	Dust bag H33 for asbestos vacuum cleaner
	013049	Dust bag H62 for asbestos vacuum cleaner
	213116	Longopack garbage bag for bag vacuum cleaner, Ø 357 mm/23 m, 4 pieces per package

FILTERS

	Code	Title
	103017	Filter HEPA13 cartridge for 300-400 series vacuum cleaners *requires mounting plate (code: 013013)
	013001	Filter HEPA 13 for asbestos, for 300-400 series vacuum cleaners * Eurovac 300-400 series vacuums require a separate mounting bracket
	013010	Filter HEPA 13, for Eurovac 53 vacuum cleaner
	013013	Cartridge filter mounting plate 300-400 series
	013099	HEPA 13 filter kit for Hurricane 32, 42 2 cartridges
	013097	HEPA 13 filter kit for Hurricane 41 and 43 vacuum cleaners
	013017	HEPA 13 cartridge for LEO vacuum
	013006	HEPA 13 cartridge for Hurricane vacuum

	Code	Title
	013098	HEPA 13 package for Eurovac 53 vacuum cleaner (Contact sales to ensure compatibility.)
	013141	HEPA 13 cartridge for H33 and H62 asbestos vacuum cleaners.
	013026	Filter 335 V model, complete (fits: 303S)
	013030	Filter bag 300 series V-model (fits: Skip Wet, 303S) and 013028 Not including ring and frame.
	013028	Filter 300 V model, complete, fits older 303 vacuum cleaner, not 303S
	013025	Filter complete 300 series new V-lower (fits: 101)
	013032	Filter bag 300 series low, new model (fits: 101) Not including ring and frame.
	013029	Filter 400 series V-model, complete (fits: 423, 433)
	013033	Filter bag 300 series low, new model (fits: 101) Not including ring and frame.
	013130	Filter H31/H32 complete
	013131	Filter H31/H32 tetratex, complete
	013132	Filter H31/H32/H43, complete
	013133	Filter H41/42/43 tetratex, complete
	013035	Filter bag H31/H32, not incl. ring
	013071	Filter bag H31/H32, tetratex, not incl. ring
	013038	Filter bag H41/42/43, tetratex, not incl. ring
	013069	Star filter bag 53, antistatic, with clamp
	013070	Star filter bag 53, with clamp, tetratex
	013090	Star filter bag 4 m ² , d. 560, antistatic polyester (for Blue Line vacuum cleaners)
	013305	Star filter bag 4 m ² d. 560, tetratex (for Blue Line vacuum cleaners)
	013003	Additional fine dust filter 300 series
	013004	Additional fine dust filter 400 series
	013002	Additional fine dust filter for vacuum cleaners H42/H53
	013037	Additional fine dust filter 300 series low, for vacuum cleaner 101

SUCTION MOTORS AND COALS

Code Title				
	015001	Suction motor 1300 W model S	Total height	Engine kit
		for vacuum cleaners without grounding on the power cord	174 mm	Height diameter 70 mm 143 mm
	015002	Suction motor 1100 W model R for vacuum cleaners without grounding in the power cord (suitable for dry/wet vacuum cleaners)	Total height	Engine kit
			178 mm	Height diameter 67 mm 143 mm
	015003	Suction motor 1100 W with blow-pipe model Hurricane (suitable for Hurricane vacuum cleaner models 31/32/42)	Total height	Engine kit
			178 mm	Height diameter 72 mm 143 mm
	015004	1300 W suction motor model F requires grounding (suitable for e.g. Eurovac 53 series vacuum cleaners)	Total height	Engine kit
			174 mm	Height diameter 72 mm 143mm
	100235	Suction motor 24 V 650 W	Total height	Engine kit
			160 mm	Height diameter 72 mm 143 mm
	015005	Suction motor 1200 W Suitable for Rita Cleaning dry/wet vacuum cleaners	Total height	Engine kit
			173 mm	Height diameter 70 mm 143 mm
	015013	Motor cover 303 Special for vacuum cleaner		
		Does not include a float Suitable for tank diameter 335 mm		
	015071	Motor cover 423 for vacuum cleaner, Telecontrol		
		Does not include a float Suitable for tank diameter 400 mm		
	015012	Motor cover for 433 vacuum cleaner		
		Does not include a float Suitable for tank diameter 400 mm		
	015052	Suction cups for 300-400 series vacuum cleaners		
	015053	Suction basket for 300-400 series vacuum cleaners		
	015036	Engine coal model Hurricane/Rotafil (older 1300 W), brown coal		
	015061	Engine coal model Hurricane/Rotafil (newer 1100 W), black coal		
	015037	Engine carbon with brass casing (for engines 015001 and 015002)		
	015039	Engine carbon model F (for engine 015004)		

ACCESSORIES FOR VACUUM CLEANERS

	Code	Title
	015031	Additional tank d. for 300 tanks
	015032	Additional tank d. for 400 tanks
	015033	Additional tank d. 400 on a sludge base
	100098	Tank 200 litres black, with handles and hooks
	100100.1	Container 100 litres black, with handles and hook (½ barrel)
	100097	Tank 200 I RST handles and hooks
	100219	Wheeled platform for 200 I barrel, with 80 mm wheels
	015048	Wheeled platform for 82 I pre-separator
		Chip basket for 200 I tank
	019150	Suitable for vacuum cleaners: 003038, 003034, 003035, 003055, 003031, 003032 Note! Check compatibility with sales.
	019151	Drain tap for Eurovac industrial vacuum cleaners, includes protective net. Size 2"

HOSE REELS AND RACKS

	Code	Title
		Hose reel, for 50, 63 or 76 mm hose
	016015	The suction hose can also be used when coiled Maximum hose length d. 50 mm hose 50 m
	016001	Hose rack W 360 mm D 150 mm
	016000	Hose rack W 680 mm D 255 mm
	016009	Hose holder with accessory basket Eurovac, galvanized, for suction rod d. 38 mm
	016007	Hose holder with accessory basket Eurovac, galvanized, for suction rod d. 50mm
	016008	Hose holder with accessory basket Eurovac, galvanized, for suction rod d. 75 mm
	016009RST	Hose holder with accessory basket Eurovac RST, for food use, for suction rod d. 38 mm
	016006RST	Hose holder with accessory basket Eurovac RST, for food use, for suction rod d. 50 mm
	016008RST	Hose holder with accessory basket Eurovac RST, for food use, for suction rod d. 75 mm

	Code	Title
	100055	Rubbish bin model H31/H32
	100056.1	Rubbish bin model H42/H43
	100057	Rubbish bin support frame H42
	100060	Rear wheel 150 x 28 mm + bushing H31/32
	100059	Front wheel 75 mm, floor mounting/swivelling, H31/32
	100062	Rear wheel 200 mm, Hurricane 42/43
	019008	Wheel 300 * 70 mm rubber surface, with hub cap, Hurricane 42 Trolley
	100061	Wheel 80 mm swivel, Hurricane 41 / 43, 42 Trolley

OTHER PARTS AND TOOLS

	015067	Carrying handle for the engine cover
	015022	Top cover for 100-300 series vacuum cleaners
	015023	Top cover for 400 series vacuum cleaners
	015020	Intermediate cover for 100-300 series vacuum cleaners
	015021.2	Intermediate cover for Eurovac 423 vacuum cleaner
	015021.1	Intermediate cover for Eurovac 433 vacuum cleaner
	015021.3	Intermediate cover for Eurovac 423 telecontrol vacuum cleaner
	019115	Engine cover mounting bracket metal 3 mounting holes Suitable for Eurovac 53 series and Hurricane
	019116	Motor cover mounting bracket metal, 2 mounting holes Suitable for Eurovac dry/dry vacuum cleaners
	100122	Carrying handle for 200 l rubbish bin, aluminium
	034039	Power cable 3 x 1.5 mm² oil-resistant rubber, length 8 m
	015069	Power cable 2 x 1.5 mm², for dry/mixer vacuum cleaners, length 8 m
	034034	Rocker switch with light red (Eurovac 101, 303, 423, 433)
	034035	Rocker switch lightless white (Eurovac Hurricane)
	034051	Rocker switch black, 0-1-2 for tool starters
	034033	Lever switch e.g. for the Eurovac 53 drum vacuum cleaner
	034036	Reversing switch with housing 0-1-2
	030328	Starter/control center 400V 3 phase 16A remote 24V
	030329	Starter/control center 400V 3 phase 32A remote 24V
	030330	Starter/control unit 230V 1-phase 16A remote control 24V max 3600w
	030331	Starter/control unit 230V for vacuum cleaner 24V

	Code	Title
	015042	Wheel to chassis d.400 M10 x 80 mm
	100028	Hose opening d.60 key lock, plastic, top only
	015065	Discharge hose for plastic tank vacuum cleaner
	015034	Tank bracket for plastic tank vacuum cleaner
	015035	Tank locking nozzle for plastic tank vacuum cleaner
	015058	Dump tank fixing knob
	015072	California outlet hose plug
	012384	Exhaust hose clamp, California
	012382	Exhaust hose clip, California
	015066	Drain hose elbow for plastic tank vacuum cleaner
	012386	Gasket for outlet hose, california
	015016	Pump for California washer, no motor
	015015	Pump for California washer, complete with motor
	012385	Exhaust hose revolving sleeve, Duster
	012038	Floor nozzle wheel iron W 450 mm
	012078	Floor nozzle wheel iron W 500 mm
	012037	Floor nozzle wheel
	012032	Floor drain suction neck attachment plinth
	012029	Floor suction nozzle 35 mm
	012083	Floor suction nozzle 38 mm
	012030	Floor suction nozzle 38 mm straight
	012031	Floor suction nozzle 50 mm
	016002	Accessories basket 423/433 for vacuum cleaners

>>> **METALLIC CENTRAL VACUUM HOSES****STEEL PIPES**

	Code	Title	Wall	External diameter	Length
	014000	Galvanised steel pipe 60 mm	1,5 mm	60 mm	6 m
	014001	Galvanised steel pipe 76 mm	1,5 mm	76 mm	6 m
	014002	Galvanised steel pipe 102 mm	1,5 mm	102 mm	6 m
	014008	Galvanised steel pipe 127 mm	1,5 mm	127 mm	6 m

* Sold in full length 6m pipes

STEEL BENDS

	Code	Title	Wall thickness	External diameter
	014040	Steel bend 45° galvanised 60 mm	1,5 mm	60 mm
	014039	Steel bend 45° galvanised 76 mm	1,5 mm	76 mm
	014073	Steel bend 45° galvanised 102 mm	1,5 mm	102 mm
	014076.1	Steel bend 45° galvanised 127 mm	1,5 mm	127 mm
	014044	Steel bend 90° galvanised 60 mm	1,5 mm	60 mm
	014043	Steel bend 90° galvanised 76 mm	1,5 mm	76 mm
	014074	Steel bend 90° galvanised 102 mm	1,5 mm	102 mm
	014075.1	Steel bend 90° galvanised 127 mm	1,5 mm	127 mm

BRANCH PIPES

	Code	Title	Wall thickness	External diameter		
				A	B	C
	014024	Galvanised branch pipe 45° 60/60/60 mm	1,5 mm	60	60	60
	014022	Galvanised branch pipe 45° 76/76/76 mm	1,5 mm	76	76	76
	014023	Galvanised branch pipe 45° 76/60/76 mm	1,5 mm	76	60	76
	014030	Galvanised branch pipe 45° 102/102/102 mm	1,5 mm	102	102	102
	014031	Galvanised branch pipe 45° 102/76/102 mm	1,5 mm	102	76	102
	014032	Galvanised branch pipe 45° 127/127/127 mm	1,5 mm	127	127	127
	014033	Galvanised branch pipe 45° 127/102/127 mm	1,5 mm	127	102	127

	Code	Title	Wall thickness	External diameter		
				A	B	C
	014024.1	Galvanised branch pipe, T-type 60 mm	1,5 mm	60	60	60
	014017	Galvanised branch pipe, T-type 76 mm	1,5 mm	76	76	76
	014018	Galvanised branch pipe, T-type 102 mm	1,5 mm	102	102	102
	014019	Galvanised branch pipe, T-type 127 mm	1,5 mm	127	127	127

PIPE COUPLINGS

	Code	Title	Length
	014055	Pipe coupling aluminium 60 mm, grounded	100 mm
	014057	Pipe coupling aluminium 76 mm, grounded	100 mm
	014064	Pipe coupling aluminium 102 mm, grounded	100 mm
	014066	Pipe coupling aluminium 127 mm, grounded	150 mm

CONTRACTION PIECES

	Code	Title	A	B
	014051	Galvanised steel contraction piece 60/50 mm	60 mm	50 mm
	014050	Galvanised steel contraction piece 76/50 mm	76 mm	50 mm
	014049	Galvanised steel contraction piece 76/60 mm	76 mm	60 mm
	014045	Galvanised steel contraction piece 102/76 mm	102 mm	76 mm
	014046	Galvanised steel contraction piece 127/102 mm	127 mm	102 mm

FLAP VALVES

	Code	Title	Pipe diameter mm				suction hose diameter mm			
			60	76	102	114	38	50	76	102
	014090	Flap valve aluminium 60 mm	X	X			X	X		
	014095	Flap valve aluminium 76 mm		X				X	X	
	014094	Flap valve aluminium 102 mm			X	X			X	X
	014091	Flap valve aluminium 60 mm with micro switch	X	X			X	X		
	014092	Flap valve aluminium 60 mm IP67 with micro switch	X	X			X	X		
	014125	Flap valve aluminium 76 mm with micro switch		X				X	X	
	014093	Flap valve aluminium 102 mm with micro switch			X	X			X	X
	050006	76 mm Underpressure/Rinse Valve, Galvanized Steel, 0–400 mbar								
	031305	Control cable 2 x 0,75 for flap valves x = suitable for use in								

HOSE CONNECTORS FOR FLAP VALVES

	Code	Title	A	B
	011107	Aluminium hose connector for Eurovac flap valve	60 mm	38 mm
	011106	Aluminium hose connector for Eurovac flap valve	60 mm	50 mm
	011104	Aluminium hose connector for Eurovac flap valve	76 mm	50 mm
	011108	Metal hose connector for Eurovac flap valve	76 mm	76 mm
	011113	Metal hose connector for Eurovac flap valve	102 mm	50 mm
	011109	Metal hose connector for Eurovac flap valve	102 mm	76 mm
	011110	Metal hose connector for Eurovac flap valve	102 mm	102 mm
	011112	Hose connector for rubber-coated vacuum flap valve	76 mm	50 mm
	011114	Hose connector for rubber-coated vacuum flap valve	76 mm	60 mm
	011118	Hose connector for rubber-coated vacuum flap valve	76 mm	76 mm
	011111	Hose connector for rubber-coated vacuum flap valve	108 mm	76 mm

	Code	Title
	014061HDG	Pipe support steel 60 mm for HDG pipe
	014062	Pipe support steel 76 mm
	014512	Pipe support steel 102 mm
	014511	Pipe support steel 127 mm


	014505	Beam bracket steel, thread M10
	014491	Console bracket, hot-dip galvanised, no support, length 150 mm
	014493	Console bracket, hot-dip galvanized, with support, length 300 mm
	014495	Console bracket, hot-dip galvanized, with support, length 600 mm

	Code	Title	Wall	External diameter	Length
	025040	RST pipe 60 mm	1,5 mm	60 mm	6 m
	025045	RST pipe 76 mm	1,6 mm	76 mm	6 m
	025047	RST pipe 101 mm	2 mm	102 mm	6 m
	025049	RST pipe 127 mm	2 mm	127 mm	6 m

RST STEEL BENDS

	Code	Title	Wall thickness	External diameter
	025000	RST bend 45° 60 mm	1,5 mm	60 mm
	025001	RST bend 45° 76 mm	1,5 mm	76 mm
	025002	RST bend 45° 102 mm	1,5 mm	102 mm
	025010	RST bend 45° 127 mm	1,5 mm	127 mm
	025004	RST bend 90° 60 mm	1,5 mm	60 mm
	025005	RST bend 90° 76 mm	1,5 mm	76 mm
	025006	RST bend 90° 102 mm	1,5 mm	102 mm
	025009	RST bend 90° 127 mm	1,5 mm	127 mm

RST BRANCH PIPES

	Code	Title	Wall thickness	External diameter		
				A	B	C
	025017	RST branch pipe 45° 60/60/60 mm	1,5 mm	60	60	60
	025015	RST branch pipe 45° 76/76/76 mm	1,5 mm	76	76	76
	025016	RST branch pipe 45° 76/60/76 mm	1,5 mm	76	60	76
	025012	RST branch pipe 45° 102/102/102 mm	1,5 mm	102	102	102
	025013	RST branch pipe 45° 102/76/102 mm	1,5 mm	102	76	102
	025014	RST branch pipe 45° 102/60/102 mm	1,5 mm	102	60	102
	025018	RST branch pipe 45° 127/127/127 mm	1,5 mm	127	127	127

RST CONTRACTION PIECES

	Code	Title	A	B
	014049	RST Steel contraction piece 76/60 mm	76 mm	60 mm
	025022	RST Steel contraction piece 102/76 mm	102 mm	76 mm

We have a comprehensive range of side channel, centrifugal and axial blowers for a wide range of industrial needs. Over 1000 models in the range. We also keep the most common models in stock. Also special fans such as ATEX fans, heat resistant and fans for corrosive substances. We represent, among others.

- Casals, Coral, Arivent axial and centrifugal fans
- F. P.Z and Greenco side channel blowers

PORTABLE/DRYERS



Rita BF534

The Rita Cleaning BF534 is a lightweight and easily mobile dryer. It is equipped with rear wheels and a telescopic handle. The rugged polyethylene shell protects the internal components of the device and makes it safe. The fan is equipped with a three-position switch to adjust the airflow to the appropriate level.

The size of the air outlet is approximately 420x100 mm, suitable for use with a 600 mm bag hose, allowing the air to be blown directly out.

The fan is also available with a filter bag, length 1500 mm, which collects the air in the fan. incoming dust.

Power	m³/h	dB	Kg
850 W	1500	69	14

Code	Title
009029	Rita BF534 fan
011476	Bag hose 600 x 0,05 mm, length 170 m / rll
009031	Blow-out bag Rita BF534, 350 mm / 1500 mm



Eurovac dryer 1,5 – 5,5 kW

The Eurovac drying blower is particularly suitable for drying insulation and drying floors. It is light to transport and fits into a small space.

The fan is equipped with a filter to prevent debris from entering the fan.

The Eurovac drying fan 1,5 kW operates on alternating current with a fuse rating of 16 A.


Eurovac drying fan 3 kW operates on alternating current with a fuse rating of 16 A.

The Eurovac drying fan 5,5 kW operates on alternating current with a fuse rating of 32 A.

Fan outlets suction/blowing 50 mm.

Power	m³/h	Pressure	dB	Kg
1,5 kW	210	190 mbar	64	35
3 kW	318	270 mbar	69	50
5,5 kW	530	300 mbar	70	80

Code	Title
250301	Eurovac Dryer Blower 1,5 kW
250320	Eurovac Dryer Blower 3 kW
250310	Eurovac Dryer Blower 5,5 kW



Eurovac housing dryer

The device is used in the context of vehicle chassis preparation and protection for drying vehicle bodies. The dryer heats the air flow to approximately 25-35 °C above the ambient temperature.

The box dryer has 9 hose reels and the standard air hose length is 4 metres. The inner diameter of the hoses is 10 mm and the outer diameter is 17 mm.

The device is equipped with a filter to prevent debris from entering the fan.

Electrical supply 230 V/16 A

Power	m³/h	Pressure	dB	Kg
1,5 kW	210	190 mbar	64	35

Code	Title
250303	Eurovac cabinet dryer



Eurovac DF/S series

Portable centrifugal blowers are ideal for extracting and removing fumes, gases, dirty air and light dust. DF/S fans are the perfect solution whenever a quick, simple or temporary fan solution is required. Heat resistance continuous -20/+60 degrees. Available with optional flexible outlet hose. The fans operate on light current (230V).

Model	Power	m³/h	Pressure	Kg	Suction inlet
DF/S 2	0,75 kW	1500	1500 Pa	22,5	150 mm
DF/S 3	1,5 kW	3390	1300 Pa	27	180 mm

Code	Title
220311	Blower DF/S 2
220321	Blower DF/S 3
211481	DF/S 2 Underpressurer + Hepa 13 filter
211482	DF/S 3 Underpressurer + Hepa 13 filter
011455	Air conditioning hose 12 m/152 mm
011457	Air conditioning hose 12 m/180 mm
009031	Blow-out bag d. 350 mm / 1500 mm

>>>SERVICE CABINETS



Eurovac Service

The vacuum-assisted maintenance cabinet allows machines and equipment to be cleaned and serviced without spreading dust into the environment.

The service cabinet is equipped with its own dust extractor, HEPA 13-rated filters, a rotating service table for easy working and a work light.

Filter cleaning in a 1.1 kW unit manually from a pneumatic saw. Filter cleaning in 2,2 kW unit automatic.

The cabinet also has connections for compressed air and an external vacuum cleaner. For example, a Eurovac Asbestos vacuum cleaner can be connected to the cabinet.

Operates at 230V/16A.

Power	m³/h max.	Pa max.	dB	Kg
1,1 kW	2240	980	74	n. 300
2,2 kW	2750	1240	76	n. 310

Code	Title
018500	Eurovac Service cabinet 1,1 kW Workspace dimensions H 1020 W 1000 D 700 mm
018501	Eurovac Service cabinet 2,2 kW Workspace dimensions H 1020 W 1000 D 700 mm
018505	Eurovac Service cabinet 2,2 kW Workspace dimensions H 1020 W 1450 D 700 mm

>>> SUCTION UNITS FOR WELDING GASES



Clean Go 2015

The redesigned CleanGo 2015 is an efficient mobile suction and filtration unit for welding gases and other vapours.

In addition to a filtration efficiency of over 99%, activated carbon also filters odours almost completely, thus improving the quality of the working environment.

Not suitable for filtering RST or aluminium welding gases.

By filtering the air back into the workspace, significant savings can also be made on heating costs in winter.

Can also be equipped with a single 10 kg activated carbon cartridge for applications where only gases are aspirated.

Includes a high quality Dynaflex suction rod with a reach of 3 m and a diameter of 160 mm. Dimensions: H 790 W 720 mm.

Power	m³/h	dB	Kg	Power supply
1,1 kW	1400	76	101	400V /16A

Code	Title
210752	Clean Go 2015 welding gas extractor
210763	Filter cartridge Clean Go 2015
210764	Activated carbon cartridge 2,5 kg Clean Go 2015
210765	Activated carbon cartridge 10 kg Clean Go 2015



Jetclean DF2 W3

Jetclean DF2 W3 is a powerful mobile suction and filtration unit for welding gases and small amounts of abrasive dust.

Includes compressed air filter cleaning.

The machine has two separate containers to separate dust and heavier material.

Suitable for filtration of RST or aluminium welding gases.

Also includes the high quality Evolution suction arm with a reach of 3 metres and a diameter of 150 mm.

Dimensions (suction arm at 90°): H 2725, W 750 and D 1045 mm.

Power	m³/h	dB	kg	Power supply	Filter
1,1 kW	1200	70	185	400V /16A	12 m²

Code	Title
210806	Jetclean DF2 W3 Welding gas extractor 1,1 kW

>>> SUCTION UNITS FOR GRINDING DUST



Grindex DF

The redesigned Grindex Df is an efficient mobile suction and filtration unit for sparking grinding dust.

Equipped with cartridge and HEPA 13 filters

Not suitable for filtering RST or aluminium welding gases.

By filtering the air back into the workspace, significant savings can also be made on heating costs in winter.

Equipped with 180 mm pipe outlet as standard.

Can also be equipped with evolution suction arm.

Dimensions without hepa filter: H 1158, W 755, D 955 mm.

Power	m³/h	dB	kg	Power supply
2,2 kW	1400	76	101	400V /16A

Code	Title
210805	Grindex DF2 vacuum cleaner with HEPA13 filtration
210965	Filter Cartridge Grindex DF
210966	Filter Cartridge HEPA-13 Grindex DF

>>> SAWDUST VACUUMING EQUIPMENT



Eurovac 200T chip removal device

The Eurovac 200T range of demolition and dust extraction units are suitable for smaller light demolition and dust extraction sites.

The unit has a 200 litre tank and double filtration.

Dust collects in a 200 l dust bag, which is easy to empty.

The unit has a 200 mm suction and blowing hose.

The unit can also be equipped with a HEPA filter if required.

For large amounts of dust, the unit can be equipped with a separate cyclone separator.

Device includes a frequency converter. 4 kW model is equipped with a Danfoss frequency converter.

Model	Power kW	m³/h	Pa	dB	Power supply
PRVM 2.2	2,2	2550	2930	67	400V /16A
PRVM 4	4	3730	4040	68	400V /16A

Code	Title
250360	200T chip removal device 2,2 kW
250361	200T chip removal device 4 kW
013066	Dust bag for 200 l tank
013054	Filter bag for 200 l tank

Eurovac chip blower blower with transport

The Eurovac chip blower with trolley is a handy solution when you need an easily movable demolition blower. The compact size with large tyres makes it very light to move, despite the heavy weight of the unit.

The unit is ideal for sucking and blowing chips and thermal insulation from suspended ceilings, for example, and for moving peat and fibrous materials (not stones and sand).

A 125 mm diameter hose up to 30 m in length may be used as a transfer hose.

The device includes a frequency converter.

Model	Power	m³/h	Pressure	kg	Suction inlet	Power supply
PDB 450	3 kW	1600	3600 Pa	90	125 mm	400V/16A

Code	Title
250351	Blower fan PDB 450

>>>PAINTING CABINETS

**Minidry**

Minidry is suitable for small series and for finishing small pieces of paint.

Equipped with a rotating paint sprayer.

Cabinets with EX-protected motors and lights, if required.

Filtered air must always be exhausted.

Standard paper filtration, optional additional fibreglass filter available

Model	Power	m³/h	Width mm	Working height mm	Power supply
Minidry 1	0,55 kW	2000	1000	910	400V /16A
Minidry 2	1,5 kW	4000	2000	910	400V /16A

Code	Title
	Minidry painting cabinet

**Tecnodry**

Suitable for painting pieces of all sizes. The backward inclined blower with impeller ensures the best performance. The lamp supplied with the cabinet provides good illumination of the object to be painted.

Optionally available with a fibreglass filter for a better filtration class. Includes IP65 luminaire and short side walls (depth 1375 mm).

Also available with extension walls and roof (NB model) (depth 2375 mm).

The fumes from the paint spray booth must always be vented to the outside

Cabinets with EX-protected motors and lights, if required.

Model	Power kW	m³/h	width mm	Working height mm	Power supply
Tecnodry 2	1,5	7000	2066	1965	400V /16A
Tecnodry 2.5	2,2	10000	2566	1965	400V /16A
Tecnodry 3	2,2	10000	3066	1965	400V /16A
Tecnodry 4	2 x 1,5	14000	4068	1965	400V /16A
Tecnodry 5	2 x 2.2	20000	5068	1965	400V /16A

Code	Title
	Tecnodry painting cabinet

>>> **SUCTION TABLES****Eurovac mini-suction table**

The Eurovac mini-suction table is specially designed to remove dust generated during the machining of small parts.

Dust coming off the piece being sanded on the table is sucked through the vacuum space into the dust bin under the table top.

Dust collects easily in a replaceable disposable dust bag.

The Eurovac mini-suction table is designed to be easily movable from one workstation another. It can also be connected to an existing dust extraction system.

Also available as an option

- HEPA 13 filtration
- Removable walls
- Rubber mat with adjustable suction area

Dimensions: 604 x 910 x 905 mm

Power	m³/h	Voltage	dB	kg
1100 W	2240	230 V	69	105

Code	Title
214549	Eurovac mini-suction table

**Polijet DF suction table**

Polijet DF is a suction table with cartridge filters for removing dust generated during grinding.

Compressed air automatic filter cleaning.

Table load capacity 250 kg/m² evenly distributed.

Equipped with 3~400 V motors.

Optional extras available: side walls, anti-static filters, back wall light, AFON silencer and air diffuser.

Model	Power [kW]	Width [mm]	Air flow m³/h	Filter [m²] / pcs	Weight [kg]
1500	2,2	1500	3800	33 / 3	400
2000	3	2000	4800	55 / 5	490
2500	4	2500	5800	66 / 6	580

Code	Title
	Polijet DF suction table

**PoliWeld suction table**

PoliWeld is a suction table with cartridge filters for removing dust from grinding and welding.

The sparks are stopped by the sparks that are created.

The table has a load capacity of 250 kg/m² evenly distributed.

Equipped with 3~400 V motors.

Optional extras available: side walls, anti-static filters, back wall light, AFON silencer and air diffuser.

Model	Power [kW]	Width [mm]	Air flow m³/h	Filter [m²] / pcs	Weight [kg]
1500	2,2	1500	4100	54 / 3	-
2000	3	2000	4510	90 / 5	-
2500	4	2500	6960	108 / 6	-

Code	Title
	Poliweld suction table



PoliWood suction table

PoliWood is a suction table without filters, specifically designed to remove dust from wood grinding.

The upholstered table has a load capacity of 250 kg/m² evenly distributed. The unit does not have its own fan, but is designed to be added to an existing pipework system.

Available as optional extras: extension shelves, rear wall and side walls.

Model	Width [mm]	Air flow max m ³ /h	Weight [kg]
1500	1500	4000	160
2000	2000	5000	210
2500	2500	6000	255

Code	Title
	Poliwood suction table



PoliWood DF suction table

PoliWood DF is a suction table with cartridge filters especially designed for removing dust from wood sanding.

Compressed air automatic filter cleaning.

The upholstered table has a load capacity of 250 kg/m² evenly distributed.

Equipped with 3~400 V motors.

Optional extras: side walls, anti-static filters, back wall light, automatic shutdown system AFON - silencer and air diffuser.

Model	Power [kW]	Width [mm]	Air flow m ³ /h	Filter [m ²] / pcs	Weight [kg]
1500	2,2	1500	4300	28 / 3	370
2000	3	2000	5300	46,5/ 5	452
2500	4	2500	6300	56 / 6	538

Code	Title
	Poliwood DF suction table



BS suction table

BS is a suction table without filters for the removal of dust generated during welding and grinding.

The table has a load capacity of 250 kg/m² evenly distributed.

The unit does not have its own fan, but is designed to be added to an existing pipework system.

Available as an option: side walls and back wall light .

Model	Width [mm]	Air flow max m ³ /h	Weight [kg]
1000	1000	2500	-
1500	1500	3000	-
2000	2000	3500	-
2500	2500	4500	-

Code	Title
	BS suction table



BS/S suction table

BS/S is a suction table without filters for the removal of dust generated during welding and grinding.

The table has a load capacity of 250 kg/m² evenly distributed.

The unit has its own fan and is designed to be added to an existing pipework system.

Available as an option: side walls and back wall light.

Model	Power [kW]	Width [mm]	Air flow m ³ /h	Weight [kg]
1000	0,55	1000	2500	-
1500	0,75	1500	3000	-
2000	0,75	2500	3500	-
2500	1,1	2500	4500	-

Code	Title
	BS/S suction table



Poliex ATEX suction table

Poliex is a suction table without filters for the removal of dust generated during welding and grinding. Suitable for use in ATEX environments.

The table has a load capacity of 250 kg/m² evenly distributed.

The unit does not have its own fan and is designed to be added to existing piping.

Available as an option: rear and side walls.

Model	Width [mm]	Air flow m ³ /h	Weight [kg]
1500	1500	4300	165
2000	2500	5300	210
2500	2500	6300	255

Code	Title
	Poliex ATEX suction table

>>> **SUCTION ARMS AND FANS****Evolution No-Smoke**

Evolution No-Smoke is a high-quality suction arm with painted aluminium suction pipes. Wide adjustability ensures smooth operation. Can be installed directly into existing pipework or with a No-smoke flue gas fan.

The sucked air can be exhausted or filtered back into the interior space. Other sizes and lengths are also available on request.

Model	Dimension [mm]	Length [mm]	Diameter [mm]	Air flow m³/h
3000	2450	3000	150	1900
4000	3500	4000	150	1850

Code	Title
210585	Suction arm Evolution No-Smoke No-Smoke 150 mm / 3
210582	Suction arm Evolution No-Smoke 150 mm / 4
210603	Wall bracket for suction arm D. 150

**Dynaflex**

Dynaflex suction arms can be used with wall mounting or e.g. with a Clean Go suction unit. The suction arm can also be attached directly to the No-Smoke exhaust fan.

Model	Dimension [mm]	Length [mm]	Diameter [mm]	Air flow m³/h
3000	2300	3000	160	1900
4000	3500	4000	160	1850

Code	Title
210583	Suction rod Dynaflex 160 mm / 3
210584	Suction rod Dynaflex 160 mm / 4
210603	Wall bracket for suction arm D. 150

**No-Smoke flue gas blower**

Flue gas blowers for suction cups. Maximum temperature of the air to be extracted 60°C. Equipped with three-phase electric motor.

Model	Power	m³/h	dB
0.75	0,75 kW	1630	80
1,5	1,5 kW	2450	80

Code	Title
210619	Flue gas blower No-Smoke 0,75
210621	Flue gas blower No-Smoke 1,5
210614	Wall bracket for No-Smoke exhaust

>>> CENTRAL VACUUM CLEANERS



Eurovac Center TS

At the heart of the new generation Center TS is a turbine-powered three-stage suction motor. Thanks to the turbine-reduction engine, the Center TS is also very quiet and has a minimum service life of 15,000 hours. Ideal for large private homes, offices, kindergartens or agencies. Power supply : 400 V / 16 A
Dimensions: H 930 W 520 D 480 mm

Power	Tank	mbar	l/min	dB	kg
3 kW	40 l	270	5800	68	45

Code	Title
004070	Eurovac Center 3010 TS



Eurovac Silver Line

Eurovac Silver Line is a domestically manufactured central vacuum system that is perfectly suited for offices, institutions, daycare centers and schools, as well as large spaces such as hotels. The unit is extremely quiet. It is also suitable for smaller dust extraction applications. Thanks to its turbine suction motor, the Silver Line is very quiet and has a service life of at least 15,000 operating hours. Power supply : 400 V / 16 A
Dimensions: H 950 W 480 L 970 mm

Power	Tank	mbar	l/min	dB	kg
5,5 kW	82 l	300	8833	73	80

Code	Title
004078	Eurovac Silver Line



Eurovac E45 central vacuum cleaner

A special vacuum cleaner for applications where high suction power and durability are required.

Manual filter cleaning with manual shaker.
Sufficient power for one user at a time.
Power supply : 400 V
Dimensions: H 1340 W 1080 D 620 mm

Power	Tank	mbar	l/min	dB	kg
3 kW	70 l	245	5830	79	70

Code	Title
004120	Eurovac E45 central vacuum cleaner



Eurovac E100 central unit 9 kW

A central unit connected to a separate filter unit. The filter unit is selected separately as required, e.g. Eurovac S90.
1 to 4 simultaneous users.
Automatic power control with inverter between 4-9 kW.
Power supply : 400 V
Dimensions: H 740 W 770 D 530 mm

Power	Tank	mbar	l/min	dB	kg
9 kW	-	330	13330	85	165

Code	Title
004150	Eurovac E100 central unit 9 kW



Eurovac S90 central vacuum cleaner filter unit

A separate filter unit of solid construction to be connected to the central vacuum unit. Can be combined with e.g. Eurovac E100 suction unit.

Maximum capacities of the connected suction unit: 350 mbar and 16600 l/min

Automatic compressed air filter cleaning. The unit includes its own compressor.

Filter type: cartridge

Easy to empty and spacious 100 l RST tank with its own wheels.

Power supply: 240 V

Dimensions: H 1700 W 900 D 650 mm

Filtering area	Tank	mbar	l/min	dB	kg
5 m ²	100 l	-	-	-	80

Code	Title
004160	Eurovac S90 central vacuum cleaner filter unit

ACCESSORIES AND PLASTIC PARTS FOR HOME AND COMMERCIAL CENTRAL VACUUM CLEANERS

	Code	Title
	010020	Central vacuum cleaner cleaning tool set with box trigger 32 mm / 10 m
	010025	Central vacuum cleaner handle cleaning tool kit 32 mm / 12 m
	011211	Suction hose for central vacuum cleaner 10 m 32 mm
	011218	Handle start for central vacuum cleaner suction hose 12 m / 32 mm
	012041.1	Parquet brush nozzle d. 32 mm, W 300 mm
	012041.2	Parquet brush nozzle d. 35 mm, W 300 mm
	012011	Floor/carpet nozzle 32 mm, W 270 mm
	012015	Floor/carpet nozzle 35 mm, W 270 mm
	012044	Suction nozzle 32 mm round
	012045	Suction nozzle 35 mm round
	012050	Suction nozzle 32 mm
	012051	Suction nozzle 35 mm
	012007	Furniture nozzle 32 mm, W 140 mm
	012008	Furniture nozzle 35 mm, W 140 mm
	012219	Conversion piece for 32/35 mouthpiece neck, allows 35 mm parts to be used with 32 mm cleaning kit
	011122	Suction rod 32 mm telescopic
	011130	Suction rod 35 mm telescopic
	013034	Filter bag for Center TS vacuum cleaner
	013067	Dust bag for Center TS vacuum cleaner
	011066	Hose connector for the vacuum box of a central vacuum cleaner
	014096	Eurovac Rikkaritari hose reel Retractable suction hose, length 5,4 m. Connectable to central vacuum hose system. For installation in a cupboard, closet or under a worktop. Compatible with the 32 mm cleaning tool range.

	Code	Title
	014120.1	PVC body pipe 51 mm, length 1,15 m
	014109	Y-branch 90°, for branching the body pipe
	014110	Plastic angle 45°
	014111	Plastic angle 90° sloping
	014102	90° elbow connector, for installation of suction box
	014118	Pipe support, for extending the trunk pipe
	014119	Pipe clamp (fixing with two screws)
	014103	Vacuum box mounting base plate
	014101	White plastic vacuum cleaner box with starter, for recessed installation either in the wall or on
	014099	White metal vacuum cleaner box with starter, for recessed installation either in the wall or on the
	014097	Chrome-plated metal vacuum cleaner box with starter buttons, for recessed installation either in
	014098	Bronze vacuum cleaner box with starter, for recessed installation either in the wall
	014100	Additional surface-mounted suction box, fits directly into the
	014112	Adapter 50 -> 44 mm for AllaWay piping, allows installation of suction cups in 44mm piping
	014123	Suction box neck extension, allows the installation of a vacuum box e.g. on a panel
	014121	Hatch in a wall, cupboard or plinth, e.g. in the kitchen
	014117	Exhaust silencer, dampens the engine noise in the exhaust air, length 35 cm
	014116	Exhaust valve for the exhaust pipe, installed on an outside wall, for example, the hatch opens automatically when the vacuum cleaner launches
	034046	Control cable between the central unit and the suction units,
	014130	Special adhesive for pipe

OUR SERVICE ALSO INCLUDES



Large-scale industrial vacuum cleaners

Industrial suction and filtration systems

Material separation and transfer systems

Blowers and pumps

Design, installation and maintenance services



CONTACT



Valtatie 23 1141
29630 Pomarkku

eurovac@suomenimurikeskus.fi
www.suomenimurikeskus.fi

Industrial suction systems / tel. 02 576 7100



Ari Alakruuvi

gsm +358 44 576 7034

ari.alakruuvi@suomenimurikeskus.fi

Languages: FI/ENG

